

Certification Summary Information Report

Test Group		PTSLV00.0L2Y			Evaporative/Refueling Family		--			
Models Covered by this Certificate										
Carline Manufacturer	Division	Carline	Certification Region Code(s)	Drive System	Trans - Type	- # of Gears	Trans - Lockup			
Tesla, Inc.	1 - Tesla Motors	47 - Model Y Performance AWD	Federal	All Wheel Drive	Automatic	1	No			
Tesla, Inc.	1 - Tesla Motors	47 - Model Y Performance AWD	California + CAA Section 177 states	All Wheel Drive	Automatic	1	No			
Tesla, Inc.	1 - Tesla Motors	45 - Model Y Long Range AWD	Federal	All Wheel Drive	Automatic	1	No			
Tesla, Inc.	1 - Tesla Motors	44 - Model Y AWD	California + CAA Section 177 states	All Wheel Drive	Automatic	1	No			
Tesla, Inc.	1 - Tesla Motors	44 - Model Y AWD	Federal	All Wheel Drive	Automatic	1	No			
Tesla, Inc.	1 - Tesla Motors	45 - Model Y Long Range AWD	California + CAA Section 177 states	All Wheel Drive	Automatic	1	No			
Engine Description										
Hybrid Type		--			Hybrid Description		--			
Engine Type		--			Mfr Engine Description		--			
Engine Block Arrangement		--			Mfr Engine Block Arrangement Description		--			
Camless Valvetrain Indicator		--			Oil Viscosity/Classification		--			
Number of Cylinders/Rotors		--			Mechanically Variable Compression Ratio Indicator		--			
After Treatment Device(s) (ATD)										
Mfr After Treatment Device (ATD) Comments		--								
Direct Ozone Reduction (DOR) Device		--								
Mfr Emission Control Device Comments		--								
Official Test Numbers										
Test Group Fuel	FTP	US06	SC03	Cold CO	Highway	EPA City Litmus Value	EPA City Litmus Threshold	EPA Highway Litmus Value	EPA Highway Litmus Threshold	CREE Weighting Factor
Electricity	--	--	--	--	--	--	--	--	--	--
SFTP LEV-III Official Test Numbers										
Test Group Fuel	FTP	US06	SC03							
Electricity	--	--	--							

Certification Summary Information Report

Test Group	PTSLV00.0L2Y	Evaporative/Refueling Family	--
Official Charge Depleting Test Numbers			
Test Group Fuel	UDDS	Highway	
Electricity	MTSL10067003	MTSL10066998	
Electricity	NTSL10071764	NTSL10071765	
Electricity	NTSL10073774	NTSL10073775	
Hybrid Electric Vehicle And Fuel Cell Information			
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if Other	--
Battery Type	Lithium Ion	Number of Battery Packs	1
Total Voltage of Battery Packs	360	Battery Energy Capacity	235
Battery Specific Energy	180	Battery Charger Type	On-Board
Number of Capacitors	--	Capacitor Rating (In Farads)	--
Mfr Capacitor Comments	--		
Hydraulic System Description	--		
Regenerative Braking Type	Electrical Regen Brake		
Regenerative Braking Source	Both	Driver Controlled Regenerative Braking	No
Mfr Regenerative Braking Description	--		
Drive Motor(s)/Generator(s)	4		
Motor/Generator Type 1	AC Induction	Rated Motor/Generator Power	91
Motor/Generator Type 2	AC Induction	Rated Motor/Generator Power	133
Motor/Generator Type 3	AC 3 PHASE PERMANENT MAGNET	Rated Motor/Generator Power	200
Motor/Generator Type 4	AC 3 PHASE PERMANENT MAGNET	Rated Motor/Generator Power	179
Mfr Fuel Cell Description	--		
Fuel Cell On-Board H2 Storage Capacity (kg)	--	Usable H2 Fill Capacity (kg)	--
Mfr Hybrid Electric/ Electric Vehicle Comments	2022 MY Model Y AWD Carline; Base Front - 91 kW; Rear - 200 kW Perf Front - 133 kW; Rear - 179 kW		

Certification Summary Information Report

Test Group	PTSLV00.0L2Y		Evaporative/Refueling Family	--							
Emission Data Vehicle Information											
Vehicle ID / Configuration	YD122-000067 / 0		Manufacturer Vehicle Configuration Number	0							
Original Test Group Name	NTSLV00.0L2Y		Original Evaporative/Refueling Family	--							
Original Test Vehicle Model Year	2022										
Vehicle Model											
Represented Test Vehicle Make	Tesla		Represented Test Vehicle Model	Model Y AWD							
Leak Family Details											
Leak Family Identifier	--		Leak Family Name	--							
Drive Sources and Fuel System Details											
<table border="1"> <thead> <tr> <th>Drive Source and Fuel#</th> <th>Drive Source</th> <th>Fuel</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Electric Motor</td> <td>Electricity</td> </tr> </tbody> </table>						Drive Source and Fuel#	Drive Source	Fuel	1	Electric Motor	Electricity
Drive Source and Fuel#	Drive Source	Fuel									
1	Electric Motor	Electricity									
Hybrid Indicator	No		Multiple Fuel Combustion	--							
Multiple Fuel Storage	--		Rechargeable Energy Storage System Indicator	Yes							
Fuel Cell Indicator	No		Rechargeable Energy Storage System, if 'Other'	--							
Rechargeable Energy Storage System	Battery(s)										
Off-board charge Capable Indicator	Yes		Odometer Correction Factor	1							
Odometer Correction -- Initial	1										
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor										
Odometer Correction Units	Miles										
Engine Code	L2Y		Rated Horsepower	390							
Displacement (liters)	0.001		Air Aspiration Method, if 'Other'								
Air Aspiration Method	Naturally Aspirated		Air Aspiration Device Configuration	--							
Number of Air Aspiration Devices	--		Drive Mode While Testing	All Wheel Drive							
Charge Air Cooler Type	--		Aged Emission Components	4,000 (mi)							
Shift Indicator Light Usage	Not equipped		Equivalent Test Weight (pounds)	4750							
Curb Weight (lbs)	4356		N/V Ratio	108							
GVWR (lbs)	5216										
Axle Ratio	1		# of Transmission Gears	1							
Transmission Type	Automatic		Creeper Gear	No							
Transmission Lockup	No										
Dynamometer Coefficients:											
Target Coefficients			Set Coefficients								
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients				
City/Highway/Evap	34.26	0.3191	0.0142	-7.79	0.3	0.0112	11.4				
Emission Control Device Comments						No Emissions Control Device - Pure Electric					

Certification Summary Information Report

Test Group	PTSLV00.0L2Y	Evaporative/Refueling Family	--
Manufacturer Test Vehicle Comments	This is 2022 Model Y AWD; Front Motor Power - 91 kW; Rear Motor Power - 200 kW;		

Certification Summary Information Report

Test Group	PTSLV00.0L2Y	Evaporative/Refueling Family	--
Test #	NTSL10073774	Test Procedure	81 - Charge Depleting UDDS
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	02/16/2022	Fuel	Electricity
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	LDV/Passenger Car	DF Type	EPA Assigned
Verify Test Lab ID	National Vehicle and Fuel Emissions Laboratory		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	2998	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 86 (+/- 2 mph, +/- 1 sec)	Road Speed Fan Usage	Yes
PHEV/EV Charge Depleting Test Information			
Recharge Event Voltage	208	Recharge Event Energy (kiloWatt-hours)	76.533
Charge Depleting Range (Calculated miles)	380	Charge Depleting Range (Actual miles)	380
All Electric Range Unadjusted (miles)	--	Derived 5-Cycle Coefficient Model Year	--
Equivalent All Electric Range (miles)	380		
Number of Charge Depleting Bags/Phases Conducted	4	Transition Bag/Phase Number	--
Charge Depleting Bag/Phase			
Charge Depleting Bag/Phase #	Test Result/Emission Name	Unrounded Test Result	
1	Carbon Monoxide	0	
2	Carbon dioxide	0	
3	Carbon-Related Exhaust Emissions	0	
4	Drive Trace Absolute Speed Change Rating	1.0561	
5	Drive Trace Energy Economy Rating	0.8068	
6	Drive Trace Inertia Work Ratio Rating	1.8871	
7	Manufacturer Fuel Economy	167.32	
8	Nitrogen Oxide	0	
9	Non-methane organic gases	0	
10	Non-methane organic gases plus Nitrogen Oxides	999.999	
11	Particulate Matter	0	
Manufacturer Test Comments	Confirmatory Test results for MY2022 Model Y AWD. Range determined by using SAE J1634 Multi-cycle test procedure. MCT dc wh/mi is attached with EPA application. Added NMOG Test results.		

Certification Summary Information Report

Test Group		PTSLV00.0L2Y				Evaporative/Refueling Family				--		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 0	CO	0	--	--	--	0	--	0	0	Pass
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
CA	150,000 miles	California ZEV	CO	0	--	--	--	0	--	0	0	Pass
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--

Certification Summary Information Report

Test Group	PTSLV00.0L2Y	Evaporative/Refueling Family	--
Test #	NTSL10073775	Test Procedure	84 - Charge Depleting Highway
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	02/16/2022	Fuel	Electricity
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	LDV/Passenger Car	DF Type	EPA Assigned
Verify Test Lab ID	National Vehicle and Fuel Emissions Laboratory		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	2998	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 86 (+/- 2 mph, +/- 1 sec)	Road Speed Fan Usage	Yes
PHEV/EV Charge Depleting Test Information			
Recharge Event Voltage	208	Recharge Event Energy (kiloWatt-hours)	76.533
Charge Depleting Range (Calculated miles)	342.7	Charge Depleting Range (Actual miles)	342.7
All Electric Range Unadjusted (miles)	--	Derived 5-Cycle Coefficient Model Year	--
Equivalent All Electric Range (miles)	342.7		
Number of Charge Depleting Bags/Phases Conducted	2	Transition Bag/Phase Number	--
Charge Depleting Bag/Phase			
Charge Depleting Bag/Phase #	Test Result/Emission Name	Unrounded Test Result	
1	Carbon Monoxide	0	
2	Carbon dioxide	0	
3	Carbon-Related Exhaust Emissions	0	
4	Drive Trace Absolute Speed Change Rating	7.21	
5	Drive Trace Energy Economy Rating	1.827	
6	Drive Trace Inertia Work Ratio Rating	9.082	
7	Manufacturer Fuel Economy	150.92	
8	Nitrogen Oxide	0	
9	Non-methane organic gases	0	
10	Non-methane organic gases plus Nitrogen Oxides	999.999	
11	Particulate Matter	0	
Manufacturer Test Comments	Confirmatory Test results for MY2022 Model Y AWD. Range determined by using SAE J1634 Multi-cycle test procedure. MCT dc wh/mi is attached with application.		

Certification Summary Information Report

Test Group		PTSLV00.0L2Y				Evaporative/Refueling Family				--		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 0	CO	0	--	--	--	0	--	0	0	Pass
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
CA	150,000 miles	California ZEV	CO	0	--	--	--	0	--	0	0	Pass
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--

Certification Summary Information Report

Test Group	PTSLV00.0L2Y		Evaporative/Refueling Family	--							
Emission Data Vehicle Information											
Vehicle ID / Configuration	YD221-R00562 / 0		Manufacturer Vehicle Configuration Number	0							
Original Test Group Name	MTSLV00.0L2Y		Original Evaporative/Refueling Family	--							
Original Test Vehicle Model Year	2021										
Vehicle Model											
Represented Test Vehicle Make	Tesla		Represented Test Vehicle Model	Model Y Performance AWD							
Leak Family Details											
Leak Family Identifier	--		Leak Family Name	--							
Drive Sources and Fuel System Details											
<table border="1"> <thead> <tr> <th>Drive Source and Fuel#</th> <th>Drive Source</th> <th>Fuel</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Electric Motor</td> <td>Electricity</td> </tr> </tbody> </table>						Drive Source and Fuel#	Drive Source	Fuel	1	Electric Motor	Electricity
Drive Source and Fuel#	Drive Source	Fuel									
1	Electric Motor	Electricity									
Hybrid Indicator	No		Multiple Fuel Combustion	--							
Multiple Fuel Storage	--		Rechargeable Energy Storage System Indicator	Yes							
Fuel Cell Indicator	No		Rechargeable Energy Storage System, if 'Other'	--							
Rechargeable Energy Storage System	Battery(s)										
Off-board charge Capable Indicator	Yes		Odometer Correction Factor	1							
Odometer Correction -- Initial	1										
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor										
Odometer Correction Units	Miles										
Engine Code	L2Y		Rated Horsepower	418							
Displacement (liters)	0.001		Air Aspiration Method, if 'Other'								
Air Aspiration Method	Naturally Aspirated		Air Aspiration Device Configuration	--							
Number of Air Aspiration Devices	--		Drive Mode While Testing	All Wheel Drive							
Charge Air Cooler Type	--		Aged Emission Components	4,000 (mi)							
Shift Indicator Light Usage	Not equipped		Equivalent Test Weight (pounds)	4750							
Curb Weight (lbs)	4416		N/V Ratio	108.4							
GVWR (lbs)	5712										
Axle Ratio	9.04		# of Transmission Gears	1							
Transmission Type	Automatic		Creeper Gear	No							
Transmission Lockup	No										
Dynamometer Coefficients:											
Target Coefficients			Set Coefficients								
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients				
City/Highway/Evap	45.49	0.172	0.016	-1.41	0.0982	0.0145	12.5				
Cold CO	50.04	0.1892	0.0176	-14.85	0.0424	0.0142	N/A				

Certification Summary Information Report

Test Group	PTSLV00.0L2Y	Evaporative/Refueling Family	--
Emission Control Device Comments	No Emissions Control Device - Pure Electric		
Manufacturer Test Vehicle Comments	This is 2021 Model Y Performance AWD; Front Motor Power - 133 kW; Rear Motor Power - 179 kW;		
Test #	MTSL10067005	Test Procedure	2 - CVS 75 and later (w/o can. load)
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	09/17/2020	Fuel	Electricity
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	LDV/Passenger Car	DF Type	EPA Assigned
Verify Test Lab ID	Tesla Kato		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	1795	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 86 (+/- 2 mph, +/- 1 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (kilowatt-hour per 100 miles)
CO (Carbon Monoxide)	0	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	3.2301	--
DT-EER (Drive Trace Energy Economy Rating)	3.0731	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	5.2995	--
MFR FE (Manufacturer Fuel Economy)	19.7981	170.2183543
NOX (Nitrogen Oxide)	0	--
NMOG (Non-methane organic gases)	0	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	0	0

Manufacturer Test Comments

Internal Test results (CVS-75 UDDS Ambient) for MY2021 Model Y Performance AWD. AC wh/mi @ 50 % SOC - Bag 1 - 222.98; Bag 2- 190.28; Bag 3 - 215.37; Bag 4 - 187.66; Test Start Odometer Reading 3275 Test Start Propulsion System Mileage 1795

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 0	CO	0	--	--	--	0	--	0	0	Pass
CA	150,000 miles	California ZEV	CO	0	--	--	--	0	--	0	0	Pass

Certification Summary Information Report

Test Group	PTSLV00.0L2Y	Evaporative/Refueling Family	--
Test #	MTSL10066999	Test Procedure	3 - HWFE
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	09/17/2020	Fuel	N/A
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	N/A	DF Type	EPA Assigned
Verify Test Lab ID	Tesla Kato		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	1795	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 86 (+/- 2 mph, +/- 1 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (kilowatt-hour per 100 miles)
DT-ASCR (Drive Trace Absolute Speed Change Rating)	6.9986	--
DT-EER (Drive Trace Energy Economy Rating)	0.9719	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	8.7448	--
MFR FE (Manufacturer Fuel Economy)	20.8356	161.7424024
NOX (Nitrogen Oxide)	0	--
NMOG (Non-methane organic gases)	0	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	0	0

Manufacturer Test Comments

Internal Test results (HWY 3) for MY2021 Model Y Performance AWD. The HFET result from the full discharge MCT is used for the 2-part and 5-part calculations. AC wh/mi - 208.36; Test Start Odometer Reading 3275 Test Start Propulsion System Mileage 1795

Certification Summary Information Report

Test Group	PTSLV00.0L2Y	Evaporative/Refueling Family	--
Test #	MTSL10067000	Test Procedure	90 - US06
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	09/17/2020	Fuel	N/A
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	N/A	DF Type	EPA Assigned
Verify Test Lab ID	Tesla Kato		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	1795	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 86 (+/- 2 mph, +/- 1 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (kilowatt-hour per 100 miles)
CO (Carbon Monoxide)	0	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	2.1886	--
DT-EER (Drive Trace Energy Economy Rating)	1.4372	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	4.229	--
MFR FE (Manufacturer Fuel Economy)	29.3349	114.880228
NOX (Nitrogen Oxide)	0	--
NMOG (Non-methane organic gases)	0	--

Manufacturer Test Comments

Internal Test results (US 06) for MY2021 Model Y Performance AWD. US 06 AC wh/mi @ 50% SOC - City:293.35; Hwy:274.90. Test Start Odometer Reading 3275 Test Start Propulsion System Mileage 1795

Certification Summary Information Report

Test Group	PTSLV00.0L2Y	Evaporative/Refueling Family	--
Test #	MTSL10067001	Test Procedure	95 - SC03
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	09/17/2020	Fuel	N/A
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	N/A	DF Type	EPA Assigned
Verify Test Lab ID	Tesla Kato		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	1795	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 86 (+/- 2 mph, +/- 1 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (kilowatt-hour per 100 miles)
CO (Carbon Monoxide)	0	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-0.6781	--
DT-EER (Drive Trace Energy Economy Rating)	-0.1283	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-0.6796	--
MFR FE (Manufacturer Fuel Economy)	23.0537	146.1804396
NOX (Nitrogen Oxide)	0	--
NMOG (Non-methane organic gases)	0	--

Manufacturer Test Comments

Internal Test results (SC 03) for MY2021 Model Y Performance AWD. AC wh/mi - 230.54 at 50% SOC. Test Start Odometer Reading 3275 Test Start Propulsion System Mileage 1795

Certification Summary Information Report

Test Group	PTSLV00.0L2Y	Evaporative/Refueling Family	--
Test #	MTSL10066998	Test Procedure	84 - Charge Depleting Highway
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	09/17/2020	Fuel	Electricity
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	LDV/Passenger Car	DF Type	EPA Assigned
Verify Test Lab ID	Tesla Kato		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	1795	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 86 (+/- 2 mph, +/- 1 sec)	Road Speed Fan Usage	Yes
PHEV/EV Charge Depleting Test Information			
Recharge Event Voltage	208	Recharge Event Energy (kiloWatt-hours)	92.213
Charge Depleting Range (Calculated miles)	376	Charge Depleting Range (Actual miles)	376
All Electric Range Unadjusted (miles)	--	Derived 5-Cycle Coefficient Model Year	--
Equivalent All Electric Range (miles)	376		
Number of Charge Depleting Bags/Phases Conducted	2	Transition Bag/Phase Number	--
Charge Depleting Bag/Phase			
Charge Depleting Bag/Phase #	Test Result/Emission Name	Unrounded Test Result	
1	Carbon Monoxide	0	
2	Carbon dioxide	0	
3	Carbon-Related Exhaust Emissions	0	
4	Drive Trace Absolute Speed Change Rating	4.7478	
5	Drive Trace Energy Economy Rating	1.0492	
6	Drive Trace Inertia Work Ratio Rating	5.7805	
7	Manufacturer Fuel Economy	137.53	
8	Nitrogen Oxide	0	
9	Non-methane organic gases	0	
10	Non-methane organic gases plus Nitrogen Oxides	999.999	
11	Particulate Matter	0	
12	System End State of Charge Watt-hours	81.052	
13	System Start State of Charge Watt-hours	0	
Manufacturer Test Comments	Internal Test results for MY2021 Model Y Performance AWD. Range determined by using SAE J1634 Multi-cycle test procedure. END-SOC - 81052 wh (System error limited to 4 digits). MCT dc wh/mi is attached with application. Test Start Odometer Reading 3275 Test Start Propulsion System Mileage 1795		

Certification Summary Information Report

Test Group		PTSLV00.0L2Y				Evaporative/Refueling Family				--		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 0	CO	0	--	--	--	0	--	0	0	Pass
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
CA	150,000 miles	California ZEV	CO	0	--	--	--	0	--	0	0	Pass
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--

Certification Summary Information Report

Test Group	PTSLV00.0L2Y	Evaporative/Refueling Family	--
Manufacturer Test Comments	Internal Test results(Cold UDDS) for MY2021 Model Y Performance AWD. END SOC is 70606 wh (System error limited to 4 digits) for full discharge. AC wh/mi - Bag 1 - 449.10; Bag 2 - 409.81; Bag 3 - 410.37; Bag - 4- 364.45; Tesla did not use external current measurement after the full cold discharge test, since AC energy is not used in any part of the 5-cycle consumption calculation. The stated recharge energy is an estimate using the DC energy from the cold discharge test and the round trip energy efficiency from the full discharge MCT. Test Start Odometer Reading 3275 Test Start Propulsion System Mileage 1795		

Certification Summary Information Report

Test Group	PTSLV00.0L2Y	Evaporative/Refueling Family	--
Test #	MTSL10067003	Test Procedure	81 - Charge Depleting UDDS
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	09/17/2020	Fuel	Electricity
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	LDV/Passenger Car	DF Type	EPA Assigned
Verify Test Lab ID	Tesla Kato		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	1795	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 86 (+/- 2 mph, +/- 1 sec)	Road Speed Fan Usage	Yes
PHEV/EV Charge Depleting Test Information			
Recharge Event Voltage	208	Recharge Event Energy (kiloWatt-hours)	92.213
Charge Depleting Range (Calculated miles)	409	Charge Depleting Range (Actual miles)	409
All Electric Range Unadjusted (miles)	--	Derived 5-Cycle Coefficient Model Year	--
Equivalent All Electric Range (miles)	409		
Number of Charge Depleting Bags/Phases Conducted	4	Transition Bag/Phase Number	--
Charge Depleting Bag/Phase			
Charge Depleting Bag/Phase #	Test Result/Emission Name	Unrounded Test Result	
1	Carbon Monoxide	0	
2	Carbon dioxide	0	
3	Carbon-Related Exhaust Emissions	0	
4	Drive Trace Absolute Speed Change Rating	2.1351	
5	Drive Trace Energy Economy Rating	2.2593	
6	Drive Trace Inertia Work Ratio Rating	3.4216	
7	Manufacturer Fuel Economy	149.63	
8	Nitrogen Oxide	0	
9	Non-methane organic gases	0	
10	Non-methane organic gases plus Nitrogen Oxides	999.999	
11	Particulate Matter	0	
12	System End State of Charge Watt-hours	81.052	
13	System Start State of Charge Watt-hours	0	
Manufacturer Test Comments	Internal Test results for MY2021 Model Y Performance AWD. Range determined by using SAE J1634 Multi-cycle test procedure. END-SOC 81052 wh (system gave error limited to 4 digits). MCT dc wh/mi is attached with EPA application. Added NMOG Test results. Test Start Odometer Reading 3275 Test Start Propulsion System Mileage 1795		

Certification Summary Information Report

Test Group	PTSLV00.0L2Y	Evaporative/Refueling Family	--
-------------------	--------------	-------------------------------------	----

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 0	CO	0	--	--	--	0	--	0	0	Pass
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
CA	150,000 miles	California ZEV	CO	0	--	--	--	0	--	0	0	Pass
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--

Certification Summary Information Report

Test Group	PTSLV00.0L2Y		Evaporative/Refueling Family	--							
Emission Data Vehicle Information											
Vehicle ID / Configuration	YD222-231326 / 0		Manufacturer Vehicle Configuration Number	0							
Original Test Group Name	NTSLV00.0L2Y		Original Evaporative/Refueling Family	--							
Original Test Vehicle Model Year	2022										
Vehicle Model											
Represented Test Vehicle Make	Tesla		Represented Test Vehicle Model	Model Y Long Range AWD							
Leak Family Details											
Leak Family Identifier	--		Leak Family Name	--							
Drive Sources and Fuel System Details											
<table border="1"> <thead> <tr> <th>Drive Source and Fuel#</th> <th>Drive Source</th> <th>Fuel</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Electric Motor</td> <td>Electricity</td> </tr> </tbody> </table>						Drive Source and Fuel#	Drive Source	Fuel	1	Electric Motor	Electricity
Drive Source and Fuel#	Drive Source	Fuel									
1	Electric Motor	Electricity									
Hybrid Indicator	No		Multiple Fuel Combustion	--							
Multiple Fuel Storage	--		Rechargeable Energy Storage System Indicator	Yes							
Fuel Cell Indicator	No		Rechargeable Energy Storage System, if 'Other'	--							
Rechargeable Energy Storage System	Battery(s)										
Off-board charge Capable Indicator	Yes		Odometer Correction Factor	1							
Odometer Correction -- Initial	1										
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor										
Odometer Correction Units	Miles										
Engine Code	L2Y		Rated Horsepower	390							
Displacement (liters)	0.001		Air Aspiration Method, if 'Other'								
Air Aspiration Method	Naturally Aspirated		Air Aspiration Device Configuration	--							
Number of Air Aspiration Devices	--		Drive Mode While Testing	All Wheel Drive							
Charge Air Cooler Type	--		Aged Emission Components	4,000 (mi)							
Shift Indicator Light Usage	Not equipped		Equivalent Test Weight (pounds)	4750							
Curb Weight (lbs)	4381		N/V Ratio	108							
GVWR (lbs)	5240										
Axle Ratio	1		# of Transmission Gears	1							
Transmission Type	Automatic		Creeper Gear	No							
Transmission Lockup	No										
Dynamometer Coefficients:											
Target Coefficients			Set Coefficients								
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients				
City/Highway/Evap	34.26	0.3191	0.0142	-15.74	0.4104	0.0107	11.4				
Emission Control Device Comments						No Emissions Control Device - Pure Electric					

Certification Summary Information Report

Test Group	PTSLV00.0L2Y	Evaporative/Refueling Family	--
Manufacturer Test Vehicle Comments	This is 2022 Model Y Long Range AWD; Front Motor Power - 91 kW; Rear Motor Power - 200 kW;		

Certification Summary Information Report

Test Group	PTSLV00.0L2Y	Evaporative/Refueling Family	--
Test #	NTSL10071764	Test Procedure	81 - Charge Depleting UDDS
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	08/11/2021	Fuel	Electricity
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	LDV/Passenger Car	DF Type	EPA Assigned
Verify Test Lab ID	Tesla Kato		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	2265	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 86 (+/- 2 mph, +/- 1 sec)	Road Speed Fan Usage	Yes
PHEV/EV Charge Depleting Test Information			
Recharge Event Voltage	208	Recharge Event Energy (kiloWatt-hours)	91.115
Charge Depleting Range (Calculated miles)	446	Charge Depleting Range (Actual miles)	446
All Electric Range Unadjusted (miles)	--	Derived 5-Cycle Coefficient Model Year	--
Equivalent All Electric Range (miles)	446		
Number of Charge Depleting Bags/Phases Conducted	4	Transition Bag/Phase Number	--
Charge Depleting Bag/Phase			
Charge Depleting Bag/Phase #	Test Result/Emission Name	Unrounded Test Result	
1	Carbon Monoxide	0	
2	Carbon dioxide	0	
3	Carbon-Related Exhaust Emissions	0	
4	Drive Trace Absolute Speed Change Rating	0.2687	
5	Drive Trace Energy Economy Rating	-0.3787	
6	Drive Trace Inertia Work Ratio Rating	0.4438	
7	Manufacturer Fuel Economy	164.8	
8	Nitrogen Oxide	0	
9	Non-methane organic gases	0	
10	Non-methane organic gases plus Nitrogen Oxides	999.999	
11	Particulate Matter	0	
12	System End State of Charge Watt-hours	80.708	
13	System Start State of Charge Watt-hours	0	
Manufacturer Test Comments	Internal Test results for MY2022 Model Y Long Range AWD. Range determined by using SAE J1634 Multi-cycle test procedure. END-SOC 80708 wh (system gave error limited to 4 digits). MCT dc wh/mi is attached with EPA application. Added NMOG Test results.		

Certification Summary Information Report

Test Group	PTSLV00.0L2Y	Evaporative/Refueling Family	--
-------------------	--------------	-------------------------------------	----

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 0	CO	0	--	--	--	0	--	0	0	Pass
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
CA	150,000 miles	California ZEV	CO	0	--	--	--	0	--	0	0	Pass
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--

Certification Summary Information Report

Test Group	PTSLV00.0L2Y	Evaporative/Refueling Family	--
Test #	NTSL10071765	Test Procedure	84 - Charge Depleting Highway
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	08/11/2021	Fuel	Electricity
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	LDV/Passenger Car	DF Type	EPA Assigned
Verify Test Lab ID	Tesla Kato		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	2265	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 86 (+/- 2 mph, +/- 1 sec)	Road Speed Fan Usage	Yes

PHEV/EV Charge Depleting Test Information

Recharge Event Voltage	208	Recharge Event Energy (kiloWatt-hours)	91.115
Charge Depleting Range (Calculated miles)	411	Charge Depleting Range (Actual miles)	411
All Electric Range Unadjusted (miles)	--	Derived 5-Cycle Coefficient Model Year	--
Equivalent All Electric Range (miles)	411		
Number of Charge Depleting Bags/Phases Conducted	2	Transition Bag/Phase Number	--

Charge Depleting Bag/Phase

Charge Depleting Bag/Phase #	Test Result/Emission Name	Unrounded Test Result
1	Carbon Monoxide	0
2	Carbon dioxide	0
3	Carbon-Related Exhaust Emissions	0
4	Drive Trace Absolute Speed Change Rating	0.821
5	Drive Trace Energy Economy Rating	-0.1289
6	Drive Trace Inertia Work Ratio Rating	1.1214
7	Manufacturer Fuel Economy	152.06
8	Nitrogen Oxide	0
9	Non-methane organic gases	0
10	Non-methane organic gases plus Nitrogen Oxides	999.999
11	Particulate Matter	0
12	System End State of Charge Watt-hours	80.708
13	System Start State of Charge Watt-hours	0

Manufacturer Test Comments

Internal Test results for MY2022 Model Y Long Range AWD. Range determined by using SAE J1634 Multi-cycle test procedure. END-SOC - 80708 wh (System error limited to 4 digits). MCT dc wh/mi is attached with application.

Certification Summary Information Report

Test Group		PTSLV00.0L2Y				Evaporative/Refueling Family				--		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 0	CO	0	--	--	--	0	--	0	0	Pass
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
CA	150,000 miles	California ZEV	CO	0	--	--	--	0	--	0	0	Pass
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--

Fuel Properties

Certification Summary Information Report

Test Group	PTSLV00.0L2Y		Evaporative/Refueling Family				--			
Consolidated List of Standards										
Exhaust Standards										
Cert Region	Federal		Cert/In-Use Code				Cert			
Vehicle Class	LDV/Passenger Car		Standard Level				Federal Tier 3 Bin 0			
Fuel	Electricity		Test Procedure				Charge Depleting UDDS			
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std	
150,000 miles	CO	--	--	--	--	--	--	0	0	
150,000 miles	CO-COMP	--	--	--	--	--	--	0	0	
150,000 miles	CREE	--	--	--	--	--	--	0	0	
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	--	0	0	
Cert Region	Federal		Cert/In-Use Code				Cert			
Vehicle Class	LDV/Passenger Car		Standard Level				Federal Tier 3 Bin 0			
Fuel	Electricity		Test Procedure				Charge Depleting Highway			
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std	
150,000 miles	CO	--	--	--	--	--	--	0	0	
150,000 miles	CO-COMP	--	--	--	--	--	--	0	0	
150,000 miles	CREE	--	--	--	--	--	--	0	0	
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	--	0	0	
Cert Region	California + CAA Section 177 states		Cert/In-Use Code				Cert			
Vehicle Class	LDV/Passenger Car		Standard Level				California ZEV			
Fuel	Electricity		Test Procedure				Charge Depleting UDDS			
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std	
150,000 miles	CO	--	--	--	--	--	--	0	0	
150,000 miles	CO-COMP	--	--	--	--	--	--	0	0	
150,000 miles	CREE	--	--	--	--	--	--	0	0	
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	--	0	0	

Certification Summary Information Report

Test Group		PTSLV00.0L2Y			Evaporative/Refueling Family			--		
Cert Region		Federal			Cert/In-Use Code			Cert		
Vehicle Class		LDV/Passenger Car			Standard Level			Federal Tier 3 Bin 0		
Fuel		Electricity			Test Procedure			CVS 75 and later (w/o can. load)		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std	
150,000 miles	CO	--	--	--	--	--	--	0	0	

Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert		
Vehicle Class		LDV/Passenger Car			Standard Level			California ZEV		
Fuel		Electricity			Test Procedure			Charge Depleting Highway		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std	
150,000 miles	CO	--	--	--	--	--	--	0	0	
150,000 miles	CO-COMP	--	--	--	--	--	--	0	0	
150,000 miles	CREE	--	--	--	--	--	--	0	0	
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	--	0	0	

Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert		
Vehicle Class		LDV/Passenger Car			Standard Level			California ZEV		
Fuel		Electricity			Test Procedure			CVS 75 and later (w/o can. load)		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std	
150,000 miles	CO	--	--	--	--	--	--	0	0	

Certification Summary Information Report

Test Group	PTSLV00.0L2Y	Evaporative/Refueling Family	--
Glossary			
Useful Life			
4	4,000 miles	120	120,000 miles
50	50,000 miles	150	150,000 miles
100	100,000 miles		
Emission Name			
HC-TOTAL	Total Hydrocarbon	METHANOL	CH3OH - Methanol
CO	Carbon Monoxide	N2O	Nitrous Oxide
CO2	Carbon dioxide	SPITBACK	Spitback Hydrocarbon in grams
CREE	Carbon-Related Exhaust Emissions	AMP-HRS	Integrated Amp-hours
OPT-CREE	Optional Carbon-Related Exhaust Emissions	START-SOC	System Start State of Charge Watt-hours
NOX	Nitrogen Oxide	END-SOC	System End State of Charge Watt-hours
PM	Particulate Matter	ACT-DISTANCE	Actual Distance Driven (miles)
PM-COMP	SFTP Composite Particulate Matter	AS-VOLT	Average System Voltage
HC-NM	Non-methane Hydrocarbon	CO2 BAG 1	Bag 1 Carbon Dioxide
OMHCE	Organic material Hydrocarbon Equivalent	CO2 BAG 2	Bag 2 Carbon Dioxide
OMNMHCE	Organic material non-methane HC equivalent	CO2 BAG 3	Bag 3 Carbon Dioxide
NMOG	Non-methane organic gases	CO2 BAG 4	Bag 4 Carbon Dioxide
HCHO	Formaldehyde	NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides
H3C2HO	Acetaldehyde	NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03	DT-IWRR	Drive Trace Inertia Work Ratio Rating
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides	DT-ASCR	Drive Trace Absolute Speed Change Rating
CO-COMP	SFTP Composite Carbon Monoxide	DT-EER	Drive Trace Energy Economy Rating
ETHANOL	C2H5OH - Ethanol	COMB-CREE	Combined Carbon-Related Exhaust Emissions
FE BAG 1	Bag 1 Fuel Economy	COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions
FE BAG 2	Bag 2 Fuel Economy	HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only
FE BAG 3	Bag 3 Fuel Economy	METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only
FE BAG 4	Bag 4 Fuel Economy	N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only
MFR FE	Manufacturer Fuel Economy	LEAK-DIA	Effective Leak Diameter (inches)
HC	Hydrocarbon for Running Loss and ORVR	LEAK-GAS CAP	Gas Cap Leakage (cc/min)
METHANE	CH4 - Methane	CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only
Certification Region			
CA	California + CAA Section 177 states	FA	Federal
Exhaust Emission Standard Level			
B1	Federal Tier 2 Bin 1	L3ULEV340	California LEV-III ULEV340
B2	Federal Tier 2 Bin 2	L3ULEV250	California LEV-III ULEV250
B3	Federal Tier 2 Bin 3	L3ULEV200	California LEV-III ULEV200
B4	Federal Tier 2 Bin 4	L3SULEV170	California LEV-III SULEV170
B5	Federal Tier 2 Bin 5	L3SULEV150	California LEV-III SULEV150

Certification Summary Information Report

Test Group	PTSLV00.0L2Y	Evaporative/Refueling Family		--
B6	Federal Tier 2 Bin 6	L3LEV630	California LEV-III LEV630	
B7	Federal Tier 2 Bin 7	L3ULEV570	California LEV-III ULEV570	
B8	Federal Tier 2 Bin 8	L3ULEV400	California LEV-III ULEV400	
B9	Federal Tier 2 Bin 9	L3ULEV270	California LEV-III ULEV270	
B10	Federal Tier 2 Bin 10	L3SULEV230	California LEV-III SULEV230	
B11	Federal Tier 2 Bin 11	L3SULEV200	California LEV-III SULEV200	
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)	T3B160	Federal Tier 3 Bin 160	
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)	T3B125	Federal Tier 3 Bin 125	
L2	California LEV-II LEV	T3B110	Federal Tier 3 Transitional Bin 110	
L2OP	California LEV-II LEV Optional	T3B85	Federal Tier 3 Transitional Bin 85	
U2	California LEV-II ULEV	T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover	
S2	California LEV-II SULEV	T3B70	Federal Tier 3 Bin 70	
ZEV	California ZEV	T3B50	Federal Tier 3 Bin 50	
OT	Other	T3B30	Federal Tier 3 Bin 30	
T1	Federal Tier 1	T3B20	Federal Tier 3 Bin 20	
PZEV	California PZEV	T3B0	Federal Tier 3 Bin 0	
L2LEV160	California LEV-II LEV160	HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395	
L2ULEV125	California LEV-II ULEV125	HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340	
L2SULEV30	California LEV-II SULEV30	HDV2B250	Federal Tier 3 HD Class 2b Bin 250	
L2LEV395	California LEV-II LEV395	HDV2B200	Federal Tier 3 HD Class 2b Bin 200	
L2ULEV340	California LEV-II ULEV340	HDV2B170	Federal Tier 3 HD Class 2b Bin 170	
L2LEV630	California LEV-II LEV630	HDV2B150	Federal Tier 3 HD Class 2b Bin 150	
L2ULEV570	California LEV-II ULEV570	HDV2B0	Federal Tier 3 HD Class 2b Bin 0	
L3LEV160	California LEV-III LEV160	HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630	
L3ULEV125	California LEV-III ULEV125	HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570	
L3ULEV70	California LEV-III ULEV70	HDV3B400	Federal Tier 3 HD Class 3 Bin 400	
L3ULEV50	California LEV-III ULEV50	HDV3B270	Federal Tier 3 HD Class 3 Bin 270	
L3SULEV30	California LEV-III SULEV30	HDV3B230	Federal Tier 3 HD Class 3 Bin 230	
L3SULEV20	California LEV-III SULEV20	HDV3B200	Federal Tier 3 HD Class 3 Bin 200	
L3LEV395	California LEV-III LEV395	HDV3B0	Federal Tier 3 HD Class 3 Bin 0	
Transmission Type Code				
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)	M	Manual	
A	Automatic	OT	Other	
AM	Automated Manual	SA	Semi-Automatic	
CVT	Continuously Variable	SCV	Selectable Continuously Variable (e.g. CVT with paddles)	
Drive System Code				
4	4-Wheel Drive	P	Part-time 4-Wheel Drive	
F	2-Wheel Drive, Front	A	All Wheel Drive	
R	2-Wheel Drive, Rear			

Certification Summary Information Report

Test Group	PTSLV00.0L2Y	Evaporative/Refueling Family		--
Additional Terms and Acronyms				
AFC	Alternative Fuel Converter	ICI	Independent Commercial Importer	
CSI	Certificate Summary Information	ORVR	Onboard Refueling Vapor Recovery	
DF	Deterioration Factor	SIL	Shift Indicator Light	
Evap	Evaporation, Evaporative	Trans	Transmission	