

Certification Summary Information Report

Manufacturer	Tesla, Inc.	Manufacturer Code	TSL
Test Group	RTSLD00.0L2C	Evaporative/Refueling Family	--
Certificate Number	RTSLD00.0L2C-002	CARB Executive Order #	--
Certificate Issue Date	11/21/2023	Certificate Revision Date	--
Certificate Effective Date	11/21/2023	Conditional Certificate	No
CSI Revision #	--	CSI Submission/Revision Date	11/15/2023 06:02:29 PM
Model Year	2024		

Test Group Information

CSI Type	Update for Correction	Running Change Reference Number	--
GHG Exempt Status	Not Exempt		

Drive Sources and Fuel(s)

Drive Source #1: Electric Motor

Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator
Electricity	--	--

Hybrid Indicator	No		
Multiple Fuel Storage	--	Rechargeable Energy Storage System Indicator	Yes
Multiple Fuel Combustion	--	Off-board Charge Capable Indicator	Yes
Fuel Cell Indicator	No	EPA Vehicle Class	HDV1
Federal Clean Fuel Vehicle	Yes	Federal Clean Fuel Vehicle Standard	ZEV
Federal Clean Fuel Vehicle ILEV	Yes	California Partial Zero Emissions Vehicle Indicator	--
Durability Group Name	RTSLEEVNNL2C	Durability Group Equivalency Factor	1
Reduced Fee Test Group	No	Certification Region Code(s)	FA, CA
Complies with HD GHG 2b/3 regulations?	Yes		
Introduction into Commerce Date	11/30/2023	CAP2000 Conditional Certificate?	No
Independent Commercial Importer?	No	Alternative Fuel Converter Certificate?	No
SFTP Federal Composite Compliance Identifier	Not Applicable	SFTP Tier 2 Composite CO Option	--
SFTP LEV-III Composite Compliance Indicator	No		
OBD Compliance Type	CARB	OBD Demonstration Vehicle Test Group	RTSLD00.0L2C
Test Group OBD Compliance Level	Full - no deficiencies	Number of Test Group OBD Deficiencies	0
OBD Deficiencies Comments	Battery electric vehicle. No OBD requirement		
Mfr Test Group Comments	Dummy submission for Cybertruck AWD for EPA COC		
Mfr Exhaust / Evap Standards Comments	--		

Certification Summary Information Report

Test Group	RTSLD00.0L2C			Evaporative/Refueling Family			--			
Models Covered by this Certificate										
Carline Manufacturer	Division	Carline	Certification Region Code(s)	Drive System	Trans - Type	- # of Gears	Trans - Lockup			
Tesla, Inc.	1 - Tesla Motors	13 - Cybertruck Beast	California + CAA Section 177 states	All Wheel Drive	Automatic	1	No			
Tesla, Inc.	1 - Tesla Motors	13 - Cybertruck Beast	Federal	All Wheel Drive	Automatic	1	No			
Engine Description										
Hybrid Type			--		Hybrid Description			--		
Engine Type			--		Mfr Engine Description			--		
Engine Block Arrangement			--		Mfr Engine Block Arrangement Description			--		
Camless Valvetrain Indicator			--		Oil Viscosity/Classification					
Number of Cylinders/Rotors			--		Mechanically Variable Compression Ratio Indicator			--		
After Treatment Device(s) (ATD)										
Mfr After Treatment Device (ATD)										
Comments			--							
Direct Ozone Reduction (DOR) Device			--							
Mfr Emission Control Device Comments			--							
Official Test Numbers										
Test Group Fuel	FTP	US06	SC03	Cold CO	Highway	EPA City Litmus Value	EPA City Litmus Threshold	EPA Highway Litmus Value	EPA Highway Litmus Threshold	CREE Weighting Factor
Electricity	--	--	--	--	--	--	--	--	--	--
SFTP LEV-III Official Test Numbers										
Test Group Fuel	FTP		US06		SC03					
Electricity	--		--		--					
Official Charge Depleting Test Numbers										
Test Group Fuel	UDDS			Highway						
Electricity	RTSL10083186			RTSL10083187						

Certification Summary Information Report

Test Group	RTSLD00.0L2C	Evaporative/Refueling Family	--
Hybrid Electric Vehicle And Fuel Cell Information			
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if Other	--
Battery Type	Lithium Ion	Number of Battery Packs	1
Total Voltage of Battery Packs	816	Battery Energy Capacity	150
Battery Specific Energy	170	Battery Charger Type	On-Board
Number of Capacitors	--	Capacitor Rating (In Farads)	--
Mfr Capacitor Comments	--		
Hydraulic System Description	--		
Regenerative Braking Type	Electrical Regen Brake		
Regenerative Braking Source	Both	Driver Controlled Regenerative Braking	No
Mfr Regenerative Braking Description	--		
Drive Motor(s)/Generator(s)	2		
Motor/Generator Type 1	AC 3 PHASE PERMANENT MAGNET	Rated Motor/Generator Power	222
Motor/Generator Type 2	AC 3 PHASE PERMANENT MAGNET	Rated Motor/Generator Power	226
Mfr Fuel Cell Description	--		
Fuel Cell On-Board H2 Storage Capacity (kg)	--	Usable H2 Fill Capacity (kg)	--
Mfr Hybrid Electric/ Electric Vehicle Comments	--		

Certification Summary Information Report

Test Group	RTSLD00.0L2C	Evaporative/Refueling Family	--																						
Emission Data Vehicle Information																									
Vehicle ID / Configuration	CD224-000801 / 0	Manufacturer Vehicle Configuration Number	0																						
Original Test Group Name	RTSLD00.0L2C	Original Evaporative/Refueling Family	--																						
Original Test Vehicle Model Year	2024																								
Vehicle Model																									
Represented Test Vehicle Make	Tesla	Represented Test Vehicle Model	Cybertruck AWD																						
Leak Family Details																									
Leak Family Identifier	--	Leak Family Name	--																						
Drive Sources and Fuel System Details																									
<table><tr><td>Drive Source and Fuel#</td><td>Drive Source</td><td>Fuel</td></tr><tr><td>1</td><td>Electric Motor</td><td>Electricity</td></tr></table>				Drive Source and Fuel#	Drive Source	Fuel	1	Electric Motor	Electricity																
Drive Source and Fuel#	Drive Source	Fuel																							
1	Electric Motor	Electricity																							
Hybrid Indicator	No																								
Multiple Fuel Storage	--	Multiple Fuel Combustion	--																						
Fuel Cell Indicator	No	Rechargeable Energy Storage System Indicator	Yes																						
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if 'Other'	--																						
Off-board charge Capable Indicator	Yes																								
Odometer Correction -- Initial	1	Odometer Correction Factor	1																						
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor																								
Odometer Correction Units	Miles																								
Engine Code	L2C	Rated Horsepower	1																						
Displacement (liters)	0.001																								
Air Aspiration Method	Naturally Aspirated	Air Aspiration Method, if 'Other'																							
Number of Air Aspiration Devices	--	Air Aspiration Device Configuration	--																						
Charge Air Cooler Type	--	Drive Mode While Testing	4-Wheel Drive																						
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)																						
Curb Weight (lbs)	6669	Equivalent Test Weight (pounds)	7000																						
GVWR (lbs)	9169	N/V Ratio	1																						
Axle Ratio	1																								
Transmission Type	Direct Drive	# of Transmission Gears	1																						
Transmission Lockup	No	Creep Gear	No																						
Dynamometer Coefficients:																									
<table><tr><td colspan="3">Target Coefficients</td><td colspan="3">Set Coefficients</td><td rowspan="2">EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients</td></tr><tr><td>Coefficient Category</td><td>A (lbf)</td><td>B (lbf/mph)</td><td>C (lbf/mph**2)</td><td>A (lbf)</td><td>B (lbf/mph)</td><td>C (lbf/mph**2)</td></tr><tr><td>City/Highway/Evap</td><td>46.45</td><td>0.14</td><td>0.03367</td><td>46.45</td><td>0.14</td><td>0.03367</td><td>18.4</td></tr></table>				Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients	Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	City/Highway/Evap	46.45	0.14	0.03367	46.45	0.14	0.03367	18.4
Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients																			
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)		C (lbf/mph**2)																		
City/Highway/Evap	46.45	0.14	0.03367	46.45	0.14	0.03367	18.4																		
Emission Control Device Comments	No emissions control Device - Pure Electric Vehicle																								

Certification Summary Information Report

Test Group	RTSLD00.0L2C	Evaporative/Refueling Family	--																																				
Manufacturer Test Vehicle Comments	Dummy data submission for Cybertruck AWD EPA COC Approval																																						
Test #	RTSL10083186	Test Procedure	81 - Charge Depleting UDDS																																				
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity																																				
Test Date	11/02/2023	Fuel	N/A																																				
Fuel Batch ID	--	Fuel Calibration Number	--																																				
Vehicle Class	N/A	DF Type	Mfr. Assigned																																				
Verify Test Lab ID	Tesla Kato																																						
E10 Evaporative Test Measurement Method	--																																						
Test Start Odometer Reading	0	Odometer Units	M																																				
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--																																				
State of Charge Delta	--																																						
Drive Cycle Speed Tolerance Criteria	Used Part 86 (+/- 2 mph, +/- 1 sec)	Road Speed Fan Usage	Yes																																				
PHEV/EV Charge Depleting Test Information																																							
Recharge Event Voltage	100	Recharge Event Energy (kiloWatt-hours)	0																																				
Charge Depleting Range (Calculated miles)	0	Charge Depleting Range (Actual miles)	0																																				
Charge Depleting Range Highway (Calculated miles)	--	Derived 5-Cycle Coefficient Model Year	--																																				
All Electric Range Unadjusted (miles)	--	Equivalent All Electric Range (miles)	0																																				
Number of Charge Depleting Bags/Phases Conducted	2	Transition Bag/Phase Number	--																																				
Charge Depleting Bag/Phase																																							
	<table border="1"> <thead> <tr> <th>Charge Depleting Bag/Phase #</th> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr><td>1</td><td>Carbon Monoxide</td><td>0</td></tr> <tr><td>2</td><td>Carbon dioxide</td><td>0</td></tr> <tr><td>3</td><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr> <tr><td>4</td><td>Drive Trace Absolute Speed Change Rating</td><td>0</td></tr> <tr><td>5</td><td>Drive Trace Energy Economy Rating</td><td>0</td></tr> <tr><td>6</td><td>Drive Trace Inertia Work Ratio Rating</td><td>0</td></tr> <tr><td>7</td><td>Manufacturer Fuel Economy</td><td>0</td></tr> <tr><td>8</td><td>Nitrogen Oxide</td><td>0</td></tr> <tr><td>9</td><td>Non-methane organic gases</td><td>0</td></tr> <tr><td>10</td><td>Non-methane organic gases plus Nitrogen Oxides</td><td>999.999</td></tr> <tr><td>11</td><td>Particulate Matter</td><td>0</td></tr> </tbody> </table>	Charge Depleting Bag/Phase #	Test Result/Emission Name	Unrounded Test Result	1	Carbon Monoxide	0	2	Carbon dioxide	0	3	Carbon-Related Exhaust Emissions	0	4	Drive Trace Absolute Speed Change Rating	0	5	Drive Trace Energy Economy Rating	0	6	Drive Trace Inertia Work Ratio Rating	0	7	Manufacturer Fuel Economy	0	8	Nitrogen Oxide	0	9	Non-methane organic gases	0	10	Non-methane organic gases plus Nitrogen Oxides	999.999	11	Particulate Matter	0		
Charge Depleting Bag/Phase #	Test Result/Emission Name	Unrounded Test Result																																					
1	Carbon Monoxide	0																																					
2	Carbon dioxide	0																																					
3	Carbon-Related Exhaust Emissions	0																																					
4	Drive Trace Absolute Speed Change Rating	0																																					
5	Drive Trace Energy Economy Rating	0																																					
6	Drive Trace Inertia Work Ratio Rating	0																																					
7	Manufacturer Fuel Economy	0																																					
8	Nitrogen Oxide	0																																					
9	Non-methane organic gases	0																																					
10	Non-methane organic gases plus Nitrogen Oxides	999.999																																					
11	Particulate Matter	0																																					
Manufacturer Test Comments	Dummy data submission for EPA COC for Cybertruck AWD																																						

Certification Summary Information Report

Test Group	RTSLD00.0L2C	Evaporative/Refueling Family	--																																			
Test #	RTSL10083187	Test Procedure	84 - Charge Depleting Highway																																			
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity																																			
Test Date	11/02/2023	Fuel	Electricity																																			
Fuel Batch ID	--	Fuel Calibration Number	--																																			
Vehicle Class	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)	DF Type	Mfr. Assigned																																			
Verify Test Lab ID	Tesla Kato																																					
E10 Evaporative Test Measurement Method	--																																					
Test Start Odometer Reading	0	Odometer Units	M																																			
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--																																			
State of Charge Delta	--																																					
Drive Cycle Speed Tolerance Criteria	Used Part 86 (+/- 2 mph, +/- 1 sec)	Road Speed Fan Usage	Yes																																			
PHEV/EV Charge Depleting Test Information																																						
Recharge Event Voltage	100	Recharge Event Energy (kiloWatt-hours)	0																																			
Charge Depleting Range (Calculated miles)	0	Charge Depleting Range (Actual miles)	0																																			
Charge Depleting Range Highway (Calculated miles)	--	Derived 5-Cycle Coefficient Model Year	--																																			
All Electric Range Unadjusted (miles)	--	Equivalent All Electric Range (miles)	0																																			
Number of Charge Depleting Bags/Phases Conducted	2	Transition Bag/Phase Number	--																																			
Charge Depleting Bag/Phase																																						
	<table border="1"> <thead> <tr> <th>Charge Depleting Bag/Phase #</th> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Carbon Monoxide</td> <td>0</td> </tr> <tr> <td>2</td> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>3</td> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>4</td> <td>Drive Trace Absolute Speed Change Rating</td> <td>0</td> </tr> <tr> <td>5</td> <td>Drive Trace Energy Economy Rating</td> <td>0</td> </tr> <tr> <td>6</td> <td>Drive Trace Inertia Work Ratio Rating</td> <td>0</td> </tr> <tr> <td>7</td> <td>Manufacturer Fuel Economy</td> <td>0</td> </tr> <tr> <td>8</td> <td>Nitrogen Oxide</td> <td>0</td> </tr> <tr> <td>9</td> <td>Non-methane organic gases</td> <td>0</td> </tr> <tr> <td>10</td> <td>Non-methane organic gases plus Nitrogen Oxides</td> <td>999.999</td> </tr> <tr> <td>11</td> <td>Particulate Matter</td> <td>0</td> </tr> </tbody> </table>	Charge Depleting Bag/Phase #	Test Result/Emission Name	Unrounded Test Result	1	Carbon Monoxide	0	2	Carbon dioxide	0	3	Carbon-Related Exhaust Emissions	0	4	Drive Trace Absolute Speed Change Rating	0	5	Drive Trace Energy Economy Rating	0	6	Drive Trace Inertia Work Ratio Rating	0	7	Manufacturer Fuel Economy	0	8	Nitrogen Oxide	0	9	Non-methane organic gases	0	10	Non-methane organic gases plus Nitrogen Oxides	999.999	11	Particulate Matter	0	
Charge Depleting Bag/Phase #	Test Result/Emission Name	Unrounded Test Result																																				
1	Carbon Monoxide	0																																				
2	Carbon dioxide	0																																				
3	Carbon-Related Exhaust Emissions	0																																				
4	Drive Trace Absolute Speed Change Rating	0																																				
5	Drive Trace Energy Economy Rating	0																																				
6	Drive Trace Inertia Work Ratio Rating	0																																				
7	Manufacturer Fuel Economy	0																																				
8	Nitrogen Oxide	0																																				
9	Non-methane organic gases	0																																				
10	Non-methane organic gases plus Nitrogen Oxides	999.999																																				
11	Particulate Matter	0																																				
Manufacturer Test Comments	Dummy data submission for EPA COC. Cybertruck AWD																																					

Certification Summary Information Report

Test Group		RTSLD00.0L2C			Evaporative/Refueling Family					--		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)	CO	0	--	--	--	--	1	0	0	Pass
Fed	150,000 miles	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)	CO2	0	--	--	--	--	1	0	--	--
CA	150,000 miles	California ZEV	CO	0	--	--	--	--	1	0	0	Pass
CA	150,000 miles	California ZEV	CO2	0	--	--	--	--	1	0	--	--
Fuel Properties												

Certification Summary Information Report

Test Group		RTSLD00.0L2C			Evaporative/Refueling Family			--	
Consolidated List of Standards									
Exhaust Standards									
Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		HDV1 (Federal HD chassis Class 2b GVW 8501-10000)			Standard Level			HDV1 (Federal HD chassis Class 2b GVW 8501-10000)	
Fuel		Electricity			Test Procedure			CVS 75 and later (w/o can. load)	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	1	--	0
150,000 miles	CO2	--	--	--	--	--	1	--	0
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		HDV1 (Federal HD chassis Class 2b GVW 8501-10000)			Standard Level			California ZEV	
Fuel		Electricity			Test Procedure			Charge Depleting Highway	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	1	--	0
150,000 miles	CO2	--	--	--	--	--	1	--	0
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		HDV1 (Federal HD chassis Class 2b GVW 8501-10000)			Standard Level			California ZEV	
Fuel		Electricity			Test Procedure			CVS 75 and later (w/o can. load)	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	1	--	0
150,000 miles	CO2	--	--	--	--	--	1	--	0

Certification Summary Information Report

Test Group		RTSLD00.0L2C			Evaporative/Refueling Family			--		
Cert Region		Federal			Cert/In-Use Code			Cert		
Vehicle Class		HDV1 (Federal HD chassis Class 2b GVW 8501-10000)			Standard Level			HDV1 (Federal HD chassis Class 2b GVW 8501-10000)		
Fuel		Electricity			Test Procedure			Charge Depleting Highway		
Useful Life		Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	1	--	0
150,000 miles	CO2	--	--	--	--	--	--	1	--	0

Certification Summary Information Report

Test Group		RTSLD00.0L2C	Evaporative/Refueling Family		--
Glossary					
Useful Life					
4	4,000 miles		120	120,000 miles	
50	50,000 miles		150	150,000 miles	
100	100,000 miles				
Emission Name					
HC-TOTAL	Total Hydrocarbon		N2O	Nitrous Oxide	
CO	Carbon Monoxide		SPITBACK	Spitback Hydrocarbon in grams	
CO2	Carbon dioxide		AMP-HRS	Integrated Amp-hours	
CREE	Carbon-Related Exhaust Emissions		START-SOC	System Start State of Charge Watt-hours	
OPT-CREE	Optional Carbon-Related Exhaust Emissions		END-SOC	System End State of Charge Watt-hours	
NOX	Nitrogen Oxide		ACT-DISTANCE	Actual Distance Driven (miles)	
PM	Particulate Matter		AS-VOLT	Average System Voltage	
PM-COMP	SFTP Composite Particulate Matter		CO2 BAG 1	Bag 1 Carbon Dioxide	
HC-NM	Non-methane Hydrocarbon		CO2 BAG 2	Bag 2 Carbon Dioxide	
OMHCE	Organic material Hydrocarbon Equivalent		CO2 BAG 3	Bag 3 Carbon Dioxide	
OMNMHCE	Organic material non-methane HC equivalent		CO2 BAG 4	Bag 4 Carbon Dioxide	
NMOG	Non-methane organic gases		NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides	
HCHO	Formaldehyde		NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides	
H3C2HO	Acetaldehyde		DT-IWRR	Drive Trace Inertia Work Ratio Rating	
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03		DT-ASCR	Drive Trace Absolute Speed Change Rating	
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides		DT-EER	Drive Trace Energy Economy Rating	
CO-COMP	SFTP Composite Carbon Monoxide		COMB-CREE	Combined Carbon-Related Exhaust Emissions	
ETHANOL	C2H5OH - Ethanol		COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions	
FE BAG 1	Bag 1 Fuel Economy		HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only	
FE BAG 2	Bag 2 Fuel Economy		METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only	
FE BAG 3	Bag 3 Fuel Economy		N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only	
FE BAG 4	Bag 4 Fuel Economy		LEAK-DIA	Effective Leak Diameter (inches)	
MFR FE	Manufacturer Fuel Economy		LEAK-GAS CAP	Gas Cap Leakage (cc/min)	
HC	Hydrocarbon for Running Loss and ORVR		CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only	
METHANE	CH4 - Methane		KW-HRS	Integrated DC KW-HRS	
METHANOL	CH3OH - Methanol				
Certification Region					
CA	California + CAA Section 177 states		FA	Federal	
Exhaust Emission Standard Level					
B1	Federal Tier 2 Bin 1		L3ULEV340	California LEV-III ULEV340	
B2	Federal Tier 2 Bin 2		L3ULEV250	California LEV-III ULEV250	
B3	Federal Tier 2 Bin 3		L3ULEV200	California LEV-III ULEV200	
B4	Federal Tier 2 Bin 4		L3SULEV170	California LEV-III SULEV170	

Certification Summary Information Report

Test Group		RTSLD00.0L2C	Evaporative/Refueling Family		--
B5	Federal Tier 2 Bin 5		L3SULEV150	California LEV-III SULEV150	
B6	Federal Tier 2 Bin 6		L3LEV630	California LEV-III LEV630	
B7	Federal Tier 2 Bin 7		L3ULEV570	California LEV-III ULEV570	
B8	Federal Tier 2 Bin 8		L3ULEV400	California LEV-III ULEV400	
B9	Federal Tier 2 Bin 9		L3ULEV270	California LEV-III ULEV270	
B10	Federal Tier 2 Bin 10		L3SULEV230	California LEV-III SULEV230	
B11	Federal Tier 2 Bin 11		L3SULEV200	California LEV-III SULEV200	
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)		T3B160	Federal Tier 3 Bin 160	
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)		T3B125	Federal Tier 3 Bin 125	
L2	California LEV-II LEV		T3B110	Federal Tier 3 Transitional Bin 110	
L2OP	California LEV-II LEV Optional		T3B85	Federal Tier 3 Transitional Bin 85	
U2	California LEV-II ULEV		T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover	
S2	California LEV-II SULEV		T3B70	Federal Tier 3 Bin 70	
ZEV	California ZEV		T3B50	Federal Tier 3 Bin 50	
OT	Other		T3B30	Federal Tier 3 Bin 30	
T1	Federal Tier 1		T3B20	Federal Tier 3 Bin 20	
PZEV	California PZEV		T3B0	Federal Tier 3 Bin 0	
L2LEV160	California LEV-II LEV160		HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395	
L2ULEV125	California LEV-II ULEV125		HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340	
L2SULEV30	California LEV-II SULEV30		HDV2B250	Federal Tier 3 HD Class 2b Bin 250	
L2LEV395	California LEV-II LEV395		HDV2B200	Federal Tier 3 HD Class 2b Bin 200	
L2ULEV340	California LEV-II ULEV340		HDV2B170	Federal Tier 3 HD Class 2b Bin 170	
L2LEV630	California LEV-II LEV630		HDV2B150	Federal Tier 3 HD Class 2b Bin 150	
L2ULEV570	California LEV-II ULEV570		HDV2B0	Federal Tier 3 HD Class 2b Bin 0	
L3LEV160	California LEV-III LEV160		HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630	
L3ULEV125	California LEV-III ULEV125		HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570	
L3ULEV70	California LEV-III ULEV70		HDV3B400	Federal Tier 3 HD Class 3 Bin 400	
L3ULEV50	California LEV-III ULEV50		HDV3B270	Federal Tier 3 HD Class 3 Bin 270	
L3SULEV30	California LEV-III SULEV30		HDV3B230	Federal Tier 3 HD Class 3 Bin 230	
L3SULEV20	California LEV-III SULEV20		HDV3B200	Federal Tier 3 HD Class 3 Bin 200	
L3LEV395	California LEV-III LEV395		HDV3B0	Federal Tier 3 HD Class 3 Bin 0	
Transmission Type Code					
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)	M	Manual		
A	Automatic	OT	Other		
AM	Automated Manual	SA	Semi-Automatic		
CVT	Continuously Variable	SCV	Selectable Continuously Variable (e.g. CVT with paddles)		
Drive System Code					
4	4-Wheel Drive	P	Part-time 4-Wheel Drive		
F	2-Wheel Drive, Front	A	All Wheel Drive		

Certification Summary Information Report

Test Group	RTSLD00.0L2C	Evaporative/Refueling Family	--
R	2-Wheel Drive, Rear		
Additional Terms and Acronyms			
AFC	Alternative Fuel Converter	ICI	Independent Commercial Importer
CSI	Certificate Summary Information	ORVR	Onboard Refueling Vapor Recovery
DF	Deterioration Factor	SIL	Shift Indicator Light
Evap	Evaporation, Evaporative	Trans	Transmission