



### Certification Summary Information Report

<b>Test Group</b>	RTSLD00.0L3C	<b>Evaporative/Refueling Family</b>	--							
<b>Models Covered by this Certificate</b>										
<b>Carline Manufacturer</b>	<b>Division</b>	<b>Carline</b>	<b>Certification Region Code(s)</b>							
Tesla, Inc.	1 - Tesla Motors	13 - Cybertruck Beast	Federal							
Tesla, Inc.	1 - Tesla Motors	13 - Cybertruck Beast	California + CAA Section 177 states							
<b>Drive System</b>	<b>Trans - Type</b>	<b>- # of Gears</b>	<b>Trans - Lockup</b>							
All Wheel Drive	Automatic	1	No							
All Wheel Drive	Automatic	1	No							
<b>Engine Description</b>										
<b>Hybrid Type</b>	--	<b>Hybrid Description</b>	--							
<b>Engine Type</b>	--	<b>Mfr Engine Description</b>	--							
<b>Engine Block Arrangement</b>	--	<b>Mfr Engine Block Arrangement Description</b>	--							
<b>Camless Valvetrain Indicator</b>	--	<b>Oil Viscosity/Classification</b>	--							
<b>Number of Cylinders/Rotors</b>	--	<b>Mechanically Variable Compression Ratio Indicator</b>	--							
<b>After Treatment Device(s) (ATD)</b>										
<b>Mfr After Treatment Device (ATD) Comments</b>	--									
<b>Direct Ozone Reduction (DOR) Device</b>	--									
<b>Mfr Emission Control Device Comments</b>	--									
<b>Official Test Numbers</b>										
<b>Test Group Fuel</b>	<b>FTP</b>	<b>US06</b>	<b>SC03</b>	<b>Cold CO</b>	<b>Highway</b>	<b>EPA City Litmus Value</b>	<b>EPA City Litmus Threshold</b>	<b>EPA Highway Litmus Value</b>	<b>EPA Highway Litmus Threshold</b>	<b>CREE Weighting Factor</b>
Electricity	--	--	--	--	--	--	--	--	--	--
<b>SFTP LEV-III Official Test Numbers</b>										
<b>Test Group Fuel</b>	<b>FTP</b>		<b>US06</b>		<b>SC03</b>					
Electricity	--		--		--					
<b>Official Charge Depleting Test Numbers</b>										
<b>Test Group Fuel</b>	<b>UDDS</b>			<b>Highway</b>						
Electricity	RTSL10083140			RTSL10083139						

## Certification Summary Information Report

Test Group	RTSLD00.0L3C	Evaporative/Refueling Family	--
<b>Hybrid Electric Vehicle And Fuel Cell Information</b>			
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if Other	--
Battery Type	Lithium Ion	Number of Battery Packs	1
Total Voltage of Battery Packs	816	Battery Energy Capacity	150
Battery Specific Energy	170	Battery Charger Type	On-Board
Number of Capacitors	--	Capacitor Rating (In Farads)	--
Mfr Capacitor Comments	--		
Hydraulic System Description	--		
Regenerative Braking Type	Electrical Regen Brake		
Regenerative Braking Source	Both	Driver Controlled Regenerative Braking	No
Mfr Regenerative Braking Description	--		
Drive Motor(s)/Generator(s)	3		
Motor/Generator Type 1	AC 3 PHASE PERMANENT MAGNET	Rated Motor/Generator Power	206
Motor/Generator Type 2	AC 3 PHASE PERMANENT MAGNET	Rated Motor/Generator Power	212
Motor/Generator Type 3	AC 3 PHASE PERMANENT MAGNET	Rated Motor/Generator Power	212
Mfr Fuel Cell Description	--		
Fuel Cell On-Board H2 Storage Capacity (kg)	--	Usable H2 Fill Capacity (kg)	--
Mfr Hybrid Electric/ Electric Vehicle Comments	Rated Motor Power, kW - 206 (Front) / 212 x 2 (Rear)		

### Certification Summary Information Report

<b>Test Group</b>	RTSLD00.0L3C	<b>Evaporative/Refueling Family</b>	--
-------------------	--------------	-------------------------------------	----

**Emission Data Vehicle Information**

Vehicle ID / Configuration	CT324-000847 / 0	Manufacturer Vehicle Configuration Number	0
Original Test Group Name	RTSLD00.0L3C	Original Evaporative/Refueling Family	--
Original Test Vehicle Model Year	2024		
<b>Vehicle Model</b>			
Represented Test Vehicle Make	Tesla	Represented Test Vehicle Model	Cybertruck Beast

**Leak Family Details**

Leak Family Identifier	--	Leak Family Name	--
------------------------	----	------------------	----

**Drive Sources and Fuel System Details**

Drive Source and Fuel#	Drive Source	Fuel
1	Electric Motor	Electricity

Hybrid Indicator	No		
Multiple Fuel Storage	--	Multiple Fuel Combustion	--
Fuel Cell Indicator	No	Rechargeable Energy Storage System Indicator	Yes
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if 'Other'	--
Off-board charge Capable Indicator	Yes		
Odometer Correction -- Initial	1	Odometer Correction Factor	1
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor		
Odometer Correction Units	Miles		
Engine Code	L3C	Rated Horsepower	1
Displacement (liters)	0.001		
Air Aspiration Method	Naturally Aspirated	Air Aspiration Method, if 'Other'	
Number of Air Aspiration Devices	--	Air Aspiration Device Configuration	--
Charge Air Cooler Type	--	Drive Mode While Testing	4-Wheel Drive
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)
Curb Weight (lbs)	6898	Equivalent Test Weight (pounds)	7000
GVWR (lbs)	9169	N/V Ratio	1
Axle Ratio	1		
Transmission Type	Direct Drive	# of Transmission Gears	1
Transmission Lockup	No	Creeper Gear	No

**Dynamometer Coefficients:**

Coefficient Category	Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	
City/Highway/Evap	45.41	0.441	0.0291	45.41	0.441	0.0291	18.7

**Emission Control Device Comments**      No emissions control Device - Pure Electric Vehicle

### Certification Summary Information Report

<b>Test Group</b>	RTSLD00.0L3C	<b>Evaporative/Refueling Family</b>	--
<b>Manufacturer Test Vehicle Comments</b>	Dummy data submission for Cybertruck Beast EPA COC Approval		

## Certification Summary Information Report

<b>Test Group</b>	RTSLD00.0L3C	<b>Evaporative/Refueling Family</b>	--
<b>Test #</b>	<b>RTSL10083139</b>	<b>Test Procedure</b>	<b>84 - Charge Depleting Highway</b>
<b>Exhaust Test # for this Evap Test</b>	--	<b>Test Fuel Type</b>	62 - Electricity
<b>Test Date</b>	11/02/2023	<b>Fuel</b>	Electricity
<b>Fuel Batch ID</b>	--	<b>Fuel Calibration Number</b>	--
<b>Vehicle Class</b>	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)	<b>DF Type</b>	Mfr. Assigned
<b>Verify Test Lab ID</b>	Tesla Kato		
<b>E10 Evaporative Test Measurement Method</b>	--		
<b>Test Start Odometer Reading</b>	0	<b>Odometer Units</b>	M
<b>4WD Test Dyno</b>	Yes	<b>Diesel Adjustment Factor Usage</b>	--
<b>State of Charge Delta</b>	--		
<b>Drive Cycle Speed Tolerance Criteria</b>	Used Part 86 (+/- 2 mph, +/- 1 sec)	<b>Road Speed Fan Usage</b>	Yes

**PHEV/EV Charge Depleting Test Information**

<b>Recharge Event Voltage</b>	100	<b>Recharge Event Energy (kiloWatt-hours)</b>	0
<b>Charge Depleting Range (Calculated miles)</b>	0	<b>Charge Depleting Range (Actual miles)</b>	0
<b>All Electric Range Unadjusted (miles)</b>	--	<b>Derived 5-Cycle Coefficient Model Year</b>	--
<b>Equivalent All Electric Range (miles)</b>	0		
<b>Number of Charge Depleting Bags/Phases Conducted</b>	2	<b>Transition Bag/Phase Number</b>	--

**Charge Depleting Bag/Phase**

<b>Charge Depleting Bag/Phase #</b>	<b>Test Result/Emission Name</b>	<b>Unrounded Test Result</b>
1	Carbon Monoxide	0
2	Carbon dioxide	0
3	Carbon-Related Exhaust Emissions	0
4	Drive Trace Absolute Speed Change Rating	0
5	Drive Trace Energy Economy Rating	0
6	Drive Trace Inertia Work Ratio Rating	0
7	Manufacturer Fuel Economy	0
8	Nitrogen Oxide	0
9	Non-methane organic gases	0
10	Non-methane organic gases plus Nitrogen Oxides	999.999
11	Particulate Matter	0

**Manufacturer Test Comments**

Dummy data submission for EPA COC. Cybertruck Beast

### Certification Summary Information Report

Test Group		RTSLD00.0L3C				Evaporative/Refueling Family				--		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)	CO	0	--	--	--	--	1	0	0	Pass
Fed	150,000 miles	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)	CO2	0	--	--	--	--	1	0	--	--
CA	150,000 miles	California ZEV	CO	0	--	--	--	--	1	0	0	Pass
CA	150,000 miles	California ZEV	CO2	0	--	--	--	--	1	0	--	--

**Certification Summary Information Report**

<b>Test Group</b>	RTSLD00.0L3C	<b>Evaporative/Refueling Family</b>	--																																				
<b>Test #</b>	<b>RTSL10083140</b>	<b>Test Procedure</b>	<b>81 - Charge Depleting UDDS</b>																																				
<b>Exhaust Test # for this Evap Test</b>	--	<b>Test Fuel Type</b>	62 - Electricity																																				
<b>Test Date</b>	11/02/2023	<b>Fuel</b>	N/A																																				
<b>Fuel Batch ID</b>	--	<b>Fuel Calibration Number</b>	--																																				
<b>Vehicle Class</b>	N/A	<b>DF Type</b>	Mfr. Assigned																																				
<b>Verify Test Lab ID</b>	Tesla Kato																																						
<b>E10 Evaporative Test Measurement Method</b>	--																																						
<b>Test Start Odometer Reading</b>	0	<b>Odometer Units</b>	M																																				
<b>4WD Test Dyno</b>	Yes	<b>Diesel Adjustment Factor Usage</b>	--																																				
<b>State of Charge Delta</b>	--																																						
<b>Drive Cycle Speed Tolerance Criteria</b>	Used Part 86 (+/- 2 mph, +/- 1 sec)	<b>Road Speed Fan Usage</b>	Yes																																				
<b>PHEV/EV Charge Depleting Test Information</b>																																							
<b>Recharge Event Voltage</b>	100	<b>Recharge Event Energy (kiloWatt-hours)</b>	0																																				
<b>Charge Depleting Range (Calculated miles)</b>	0	<b>Charge Depleting Range (Actual miles)</b>	0																																				
<b>All Electric Range Unadjusted (miles)</b>	--	<b>Derived 5-Cycle Coefficient Model Year</b>	--																																				
<b>Equivalent All Electric Range (miles)</b>	0																																						
<b>Number of Charge Depleting Bags/Phases Conducted</b>	2	<b>Transition Bag/Phase Number</b>	--																																				
<b>Charge Depleting Bag/Phase</b>																																							
<table border="1"> <thead> <tr> <th>Charge Depleting Bag/Phase #</th> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Carbon Monoxide</td> <td>0</td> </tr> <tr> <td>2</td> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>3</td> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>4</td> <td>Drive Trace Absolute Speed Change Rating</td> <td>0</td> </tr> <tr> <td>5</td> <td>Drive Trace Energy Economy Rating</td> <td>0</td> </tr> <tr> <td>6</td> <td>Drive Trace Inertia Work Ratio Rating</td> <td>0</td> </tr> <tr> <td>7</td> <td>Manufacturer Fuel Economy</td> <td>0</td> </tr> <tr> <td>8</td> <td>Nitrogen Oxide</td> <td>0</td> </tr> <tr> <td>9</td> <td>Non-methane organic gases</td> <td>0</td> </tr> <tr> <td>10</td> <td>Non-methane organic gases plus Nitrogen Oxides</td> <td>999,999</td> </tr> <tr> <td>11</td> <td>Particulate Matter</td> <td>0</td> </tr> </tbody> </table>				Charge Depleting Bag/Phase #	Test Result/Emission Name	Unrounded Test Result	1	Carbon Monoxide	0	2	Carbon dioxide	0	3	Carbon-Related Exhaust Emissions	0	4	Drive Trace Absolute Speed Change Rating	0	5	Drive Trace Energy Economy Rating	0	6	Drive Trace Inertia Work Ratio Rating	0	7	Manufacturer Fuel Economy	0	8	Nitrogen Oxide	0	9	Non-methane organic gases	0	10	Non-methane organic gases plus Nitrogen Oxides	999,999	11	Particulate Matter	0
Charge Depleting Bag/Phase #	Test Result/Emission Name	Unrounded Test Result																																					
1	Carbon Monoxide	0																																					
2	Carbon dioxide	0																																					
3	Carbon-Related Exhaust Emissions	0																																					
4	Drive Trace Absolute Speed Change Rating	0																																					
5	Drive Trace Energy Economy Rating	0																																					
6	Drive Trace Inertia Work Ratio Rating	0																																					
7	Manufacturer Fuel Economy	0																																					
8	Nitrogen Oxide	0																																					
9	Non-methane organic gases	0																																					
10	Non-methane organic gases plus Nitrogen Oxides	999,999																																					
11	Particulate Matter	0																																					
<b>Manufacturer Test Comments</b>	Dummy data submission for EPA COC for Cybertruck Beast																																						

**Fuel Properties**



### Certification Summary Information Report

<b>Test Group</b>	RTSLD00.0L3C	<b>Evaporative/Refueling Family</b>	--
<b>Consolidated List of Standards</b>			
<b>Exhaust Standards</b>			
<b>Cert Region</b>	Federal	<b>Cert/In-Use Code</b>	Cert
<b>Vehicle Class</b>	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)	<b>Standard Level</b>	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)
<b>Fuel</b>	Electricity	<b>Test Procedure</b>	CVS 75 and later (w/o can. load)
<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>RAF</b>
		<b>NMOG / NMHC</b>	<b>Upward Diesel Adjustment Factor</b>
		<b>Downward Diesel Adjustment Factor</b>	<b>Mult DF</b>
		<b>Add DF</b>	<b>Std</b>
150,000 miles	CO	--	--
150,000 miles	CO2	--	--
<b>Cert Region</b>	California + CAA Section 177 states	<b>Cert/In-Use Code</b>	Cert
<b>Vehicle Class</b>	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)	<b>Standard Level</b>	California ZEV
<b>Fuel</b>	Electricity	<b>Test Procedure</b>	CVS 75 and later (w/o can. load)
<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>RAF</b>
		<b>NMOG / NMHC</b>	<b>Upward Diesel Adjustment Factor</b>
		<b>Downward Diesel Adjustment Factor</b>	<b>Mult DF</b>
		<b>Add DF</b>	<b>Std</b>
150,000 miles	CO	--	--
150,000 miles	CO2	--	--
<b>Cert Region</b>	California + CAA Section 177 states	<b>Cert/In-Use Code</b>	Cert
<b>Vehicle Class</b>	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)	<b>Standard Level</b>	California ZEV
<b>Fuel</b>	Electricity	<b>Test Procedure</b>	Charge Depleting Highway
<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>RAF</b>
		<b>NMOG / NMHC</b>	<b>Upward Diesel Adjustment Factor</b>
		<b>Downward Diesel Adjustment Factor</b>	<b>Mult DF</b>
		<b>Add DF</b>	<b>Std</b>
150,000 miles	CO	--	--
150,000 miles	CO2	--	--

### Certification Summary Information Report

<b>Test Group</b>		RTSLD00.0L3C			<b>Evaporative/Refueling Family</b>			--	
<b>Cert Region</b>		Federal			<b>Cert/In-Use Code</b>			Cert	
<b>Vehicle Class</b>		HDV1 (Federal HD chassis Class 2b GVW 8501-10000)			<b>Standard Level</b>			HDV1 (Federal HD chassis Class 2b GVW 8501-10000)	
<b>Fuel</b>		Electricity			<b>Test Procedure</b>			Charge Depleting Highway	
<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>RAF</b>	<b>NMOG / NMHC</b>	<b>Upward Diesel Adjustment Factor</b>	<b>Downward Diesel Adjustment Factor</b>	<b>Mult DF</b>	<b>Add DF</b>	<b>Std</b>
150,000 miles	CO	--	--	--	--	--	1	--	0
150,000 miles	CO2	--	--	--	--	--	1	--	0

## Certification Summary Information Report

Test Group	RTSLD00.0L3C	Evaporative/Refueling Family	--
<b>Glossary</b>			
<b>Useful Life</b>			
4	4,000 miles	120	120,000 miles
50	50,000 miles	150	150,000 miles
100	100,000 miles		
<b>Emission Name</b>			
HC-TOTAL	Total Hydrocarbon	METHANOL	CH3OH - Methanol
CO	Carbon Monoxide	N2O	Nitrous Oxide
CO2	Carbon dioxide	SPITBACK	Spitback Hydrocarbon in grams
CREE	Carbon-Related Exhaust Emissions	AMP-HRS	Integrated Amp-hours
OPT-CREE	Optional Carbon-Related Exhaust Emissions	START-SOC	System Start State of Charge Watt-hours
NOX	Nitrogen Oxide	END-SOC	System End State of Charge Watt-hours
PM	Particulate Matter	ACT-DISTANCE	Actual Distance Driven (miles)
PM-COMP	SFTP Composite Particulate Matter	AS-VOLT	Average System Voltage
HC-NM	Non-methane Hydrocarbon	CO2 BAG 1	Bag 1 Carbon Dioxide
OMHCE	Organic material Hydrocarbon Equivalent	CO2 BAG 2	Bag 2 Carbon Dioxide
OMNMHCE	Organic material non-methane HC equivalent	CO2 BAG 3	Bag 3 Carbon Dioxide
NMOG	Non-methane organic gases	CO2 BAG 4	Bag 4 Carbon Dioxide
HCHO	Formaldehyde	NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides
H3C2HO	Acetaldehyde	NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03	DT-IWRR	Drive Trace Inertia Work Ratio Rating
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides	DT-ASCR	Drive Trace Absolute Speed Change Rating
CO-COMP	SFTP Composite Carbon Monoxide	DT-EER	Drive Trace Energy Economy Rating
ETHANOL	C2H5OH - Ethanol	COMB-CREE	Combined Carbon-Related Exhaust Emissions
FE BAG 1	Bag 1 Fuel Economy	COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions
FE BAG 2	Bag 2 Fuel Economy	HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only
FE BAG 3	Bag 3 Fuel Economy	METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only
FE BAG 4	Bag 4 Fuel Economy	N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only
MFR FE	Manufacturer Fuel Economy	LEAK-DIA	Effective Leak Diameter (inches)
HC	Hydrocarbon for Running Loss and ORVR	LEAK-GAS CAP	Gas Cap Leakage (cc/min)
METHANE	CH4 - Methane	CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only
<b>Certification Region</b>			
CA	California + CAA Section 177 states	FA	Federal
<b>Exhaust Emission Standard Level</b>			
B1	Federal Tier 2 Bin 1	L3ULEV340	California LEV-III ULEV340
B2	Federal Tier 2 Bin 2	L3ULEV250	California LEV-III ULEV250
B3	Federal Tier 2 Bin 3	L3ULEV200	California LEV-III ULEV200
B4	Federal Tier 2 Bin 4	L3SULEV170	California LEV-III SULEV170
B5	Federal Tier 2 Bin 5	L3SULEV150	California LEV-III SULEV150

## Certification Summary Information Report

Test Group	RTSLD00.0L3C	Evaporative/Refueling Family	--
B6	Federal Tier 2 Bin 6	L3LEV630	California LEV-III LEV630
B7	Federal Tier 2 Bin 7	L3ULEV570	California LEV-III ULEV570
B8	Federal Tier 2 Bin 8	L3ULEV400	California LEV-III ULEV400
B9	Federal Tier 2 Bin 9	L3ULEV270	California LEV-III ULEV270
B10	Federal Tier 2 Bin 10	L3SULEV230	California LEV-III SULEV230
B11	Federal Tier 2 Bin 11	L3SULEV200	California LEV-III SULEV200
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)	T3B160	Federal Tier 3 Bin 160
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)	T3B125	Federal Tier 3 Bin 125
L2	California LEV-II LEV	T3B110	Federal Tier 3 Transitional Bin 110
L2OP	California LEV-II LEV Optional	T3B85	Federal Tier 3 Transitional Bin 85
U2	California LEV-II ULEV	T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover
S2	California LEV-II SULEV	T3B70	Federal Tier 3 Bin 70
ZEV	California ZEV	T3B50	Federal Tier 3 Bin 50
OT	Other	T3B30	Federal Tier 3 Bin 30
T1	Federal Tier 1	T3B20	Federal Tier 3 Bin 20
PZEV	California PZEV	T3B0	Federal Tier 3 Bin 0
L2LEV160	California LEV-II LEV160	HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395
L2ULEV125	California LEV-II ULEV125	HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340
L2SULEV30	California LEV-II SULEV30	HDV2B250	Federal Tier 3 HD Class 2b Bin 250
L2LEV395	California LEV-II LEV395	HDV2B200	Federal Tier 3 HD Class 2b Bin 200
L2ULEV340	California LEV-II ULEV340	HDV2B170	Federal Tier 3 HD Class 2b Bin 170
L2LEV630	California LEV-II LEV630	HDV2B150	Federal Tier 3 HD Class 2b Bin 150
L2ULEV570	California LEV-II ULEV570	HDV2B0	Federal Tier 3 HD Class 2b Bin 0
L3LEV160	California LEV-III LEV160	HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630
L3ULEV125	California LEV-III ULEV125	HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570
L3ULEV70	California LEV-III ULEV70	HDV3B400	Federal Tier 3 HD Class 3 Bin 400
L3ULEV50	California LEV-III ULEV50	HDV3B270	Federal Tier 3 HD Class 3 Bin 270
L3SULEV30	California LEV-III SULEV30	HDV3B230	Federal Tier 3 HD Class 3 Bin 230
L3SULEV20	California LEV-III SULEV20	HDV3B200	Federal Tier 3 HD Class 3 Bin 200
L3LEV395	California LEV-III LEV395	HDV3B0	Federal Tier 3 HD Class 3 Bin 0
<b>Transmission Type Code</b>			
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)	M	Manual
A	Automatic	OT	Other
AM	Automated Manual	SA	Semi-Automatic
CVT	Continuously Variable	SCV	Selectable Continuously Variable (e.g. CVT with paddles)
<b>Drive System Code</b>			
4	4-Wheel Drive	P	Part-time 4-Wheel Drive
F	2-Wheel Drive, Front	A	All Wheel Drive
R	2-Wheel Drive, Rear		

## Certification Summary Information Report

Test Group	RTSLD00.0L3C	Evaporative/Refueling Family	--
<b>Additional Terms and Acronyms</b>			
AFC	Alternative Fuel Converter	ICI	Independent Commercial Importer
CSI	Certificate Summary Information	ORVR	Onboard Refueling Vapor Recovery
DF	Deterioration Factor	SIL	Shift Indicator Light
Evap	Evaporation, Evaporative	Trans	Transmission