

Certification Summary Information Report

Manufacturer	Tesla, Inc.	Manufacturer Code	TSL
Test Group	TTSLV00.0L2Y	Evaporative/Refueling Family	--
Certificate Number	TTSLV00.0L2Y-001	CARB Executive Order #	--
Certificate Issue Date	02/07/2025	Certificate Revision Date	--
Certificate Effective Date	02/07/2025	Conditional Certificate	No
CSI Revision #	--	CSI Submission/Revision Date	02/05/2025 12:43:18 AM
Model Year	2026		

Test Group Information

CSI Type	Update for Correction	Running Change Reference Number	0
GHG Exempt Status	Not Exempt		

Drive Sources and Fuel(s)

Drive Source #1: Electric Motor

Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator
Electricity	--	--

Hybrid Indicator	No		
Multiple Fuel Storage	--	Rechargeable Energy Storage System Indicator	Yes
Multiple Fuel Combustion	--	Off-board Charge Capable Indicator	Yes
Fuel Cell Indicator	No	EPA Vehicle Class	LDV
Federal Clean Fuel Vehicle	Yes	Federal Clean Fuel Vehicle Standard	ZEV
Federal Clean Fuel Vehicle ILEV	Yes	California Partial Zero Emissions Vehicle Indicator	--
Durability Group Name	TTSLEEVNNL2Y	Durability Group Equivalency Factor	1
Reduced Fee Test Group	No	Certification Region Code(s)	FA, CA
Complies with HD GHG 2b/3 regulations?	No		
Introduction into Commerce Date	02/05/2025	CAP2000 Conditional Certificate?	No
Independent Commercial Importer?	No	Alternative Fuel Converter Certificate?	No
SFTP Federal Composite Compliance Identifier	Tier 3	SFTP Tier 2 Composite CO Option	--
SFTP LEV-III Composite Compliance Indicator	Yes		
OBD Compliance Type	CARB	OBD Demonstration Vehicle Test Group	TTSLV00.0L2Y
Test Group OBD Compliance Level	Full - no deficiencies	Number of Test Group OBD Deficiencies	0
OBD Deficiencies Comments	Battery Electric Vehicle - No OBD requirements		
Mfr Test Group Comments	MY2026 certification includes 1 carline (Model Y Long Range AWD)		
Mfr Exhaust / Evap Standards Comments	--		

Certification Summary Information Report

Test Group	TTSLV00.0L2Y			Evaporative/Refueling Family			--			
Models Covered by this Certificate										
Carline Manufacturer	Division	Carline	Certification Region Code(s)	Drive System	Trans - Type	- # of Gears	Trans - Lockup			
Tesla, Inc.	1 - Tesla Motors	45 - Model Y Long Range AWD	Federal	All Wheel Drive	Automatic	1	No			
Tesla, Inc.	1 - Tesla Motors	45 - Model Y Long Range AWD	California + CAA Section 177 states	All Wheel Drive	Automatic	1	No			
Engine Description										
Hybrid Type		--		Hybrid Description		--				
Engine Type		--		Mfr Engine Description		--				
Engine Block Arrangement		--		Mfr Engine Block Arrangement Description		--				
Camless Valvetrain Indicator		--		Oil Viscosity/Classification						
Number of Cylinders/Rotors		--		Mechanically Variable Compression Ratio Indicator		--				
After Treatment Device(s) (ATD)										
Mfr After Treatment Device (ATD)										
Comments		--								
Direct Ozone Reduction (DOR) Device		--								
Mfr Emission Control Device Comments		--								
Official Test Numbers										
Test Group Fuel	FTP	US06	SC03	Cold CO	Highway	EPA City Litmus Value	EPA City Litmus Threshold	EPA Highway Litmus Value	EPA Highway Litmus Threshold	CREE Weighting Factor
Electricity	--	--	--	--	--	--	--	--	--	--
SFTP LEV-III Official Test Numbers										
Test Group Fuel	FTP		US06		SC03					
Electricity	--		--		--					
Official Charge Depleting Test Numbers										
Test Group Fuel	UDDS			Highway						
Electricity	--			--						

Certification Summary Information Report

Test Group	TTSLV00.0L2Y	Evaporative/Refueling Family	--
Hybrid Electric Vehicle And Fuel Cell Information			
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if Other	--
Battery Type	Lithium Ion	Number of Battery Packs	1
Total Voltage of Battery Packs	358	Battery Energy Capacity	223
Battery Specific Energy	175	Battery Charger Type	On-Board
Number of Capacitors	--	Capacitor Rating (In Farads)	--
Mfr Capacitor Comments	--		
Hydraulic System Description	--		
Regenerative Braking Type	Electrical Regen Brake		
Regenerative Braking Source	Both	Driver Controlled Regenerative Braking	No
Mfr Regenerative Braking Description	--		
Drive Motor(s)/Generator(s)	2		
Motor/Generator Type 1	AC 3 PHASE PERMANENT MAGNET	Rated Motor/Generator Power	200
Motor/Generator Type 2	AC Induction	Rated Motor/Generator Power	91
Mfr Fuel Cell Description	--		
Fuel Cell On-Board H2 Storage Capacity (kg)	--	Usable H2 Fill Capacity (kg)	--
Mfr Hybrid Electric/ Electric Vehicle Comments	MY2026 Model Y AWD Carline; Long Range AWD Front - 91 kW; Rear - 200 kW		

Certification Summary Information Report

Test Group	TTSLV00.0L2Y	Evaporative/Refueling Family	--						
Emission Data Vehicle Information									
Vehicle ID / Configuration	YD226-181818 / 0	Manufacturer Vehicle Configuration Number	0						
Original Test Group Name	TTSLV00.0L2Y	Original Evaporative/Refueling Family	--						
Original Test Vehicle Model Year	2026								
Vehicle Model									
Represented Test Vehicle Make	Tesla	Represented Test Vehicle Model	Model Y Long Range AWD						
Leak Family Details									
Leak Family Identifier	--	Leak Family Name	--						
Drive Sources and Fuel System Details									
	<table><tr><th>Drive Source and Fuel#</th><th>Drive Source</th><th>Fuel</th></tr><tr><td>1</td><td>Electric Motor</td><td>Electricity</td></tr></table>	Drive Source and Fuel#	Drive Source	Fuel	1	Electric Motor	Electricity		
Drive Source and Fuel#	Drive Source	Fuel							
1	Electric Motor	Electricity							
Hybrid Indicator	No								
Multiple Fuel Storage	--	Multiple Fuel Combustion	--						
Fuel Cell Indicator	No	Rechargeable Energy Storage System Indicator	Yes						
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if 'Other'	--						
Off-board charge Capable Indicator	Yes								
Odometer Correction -- Initial	1	Odometer Correction Factor	1						
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor								
Odometer Correction Units	Miles								
Engine Code	L2Y	Rated Horsepower	397						
Displacement (liters)	0.001								
Air Aspiration Method	Naturally Aspirated	Air Aspiration Method, if 'Other'							
Number of Air Aspiration Devices	--	Air Aspiration Device Configuration	--						
Charge Air Cooler Type	--	Drive Mode While Testing	All Wheel Drive						
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)						
Curb Weight (lbs)	4396	Equivalent Test Weight (pounds)	4750						
GVWR (lbs)	5536	N/V Ratio	108						
Axle Ratio	1								
Transmission Type	Automatic	# of Transmission Gears	1						
Transmission Lockup	No	Creep Gear	No						
Dynamometer Coefficients:									
	Target Coefficients		Set Coefficients						
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients		
City/Highway/Evap	26.62	0.275	0.0153	-3.46	0.1319	0.01404	10.5		
Emission Control Device Comments		No Emissions Control Device - Pure Electric							

Certification Summary Information Report

Test Group	TTSLV00.0L2Y	Evaporative/Refueling Family	--
Manufacturer Test Vehicle Comments	This is 2026 Model Y Long Range AWD; Front Motor Power - 87 kW; Rear Motor Power - 209 kW;		

Certification Summary Information Report

Test Group	TTSLV00.0L2Y	Evaporative/Refueling Family	--
Test #	TTSL10089098	Test Procedure	77 - Multi-Cycle Test (MCT)
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	01/30/2025	Fuel	Electricity
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	LDV/Passenger Car	DF Type	EPA Assigned
Verify Test Lab ID	National Vehicle and Fuel Emissions Laboratory		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	2669	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 86 (+/- 2 mph, +/- 1 sec)	Road Speed Fan Usage	Yes
PHEV/EV Charge Depleting Test Information			
Recharge Event Voltage	248	Recharge Event Energy (kiloWatt-hours)	89.4405
Charge Depleting Range (Calculated miles)	491.95	Charge Depleting Range (Actual miles)	491.95
Charge Depleting Range Highway (Calculated miles)	435.317	Derived 5-Cycle Coefficient Model Year	--
All Electric Range Unadjusted (miles)	--	Equivalent All Electric Range (miles)	491.95
Number of Charge Depleting Bags/Phases Conducted	8	Transition Bag/Phase Number	--
Charge Depleting Bag/Phase #1			
Test Result/Emission Name		Unrounded Test Result	
Actual Distance Driven (miles)		7.4334635	
Carbon-Related Exhaust Emissions		0	
Drive Trace Absolute Speed Change Rating		1.11	
Drive Trace Energy Economy Rating		0.822	
Drive Trace Inertia Work Ratio Rating		2.113	
Integrated DC KW-HRS		1.3609752	
Manufacturer Fuel Economy		18.3087629	
Charge Depleting Bag/Phase #2			

Certification Summary Information Report

Test Group	TTSLV00.0L2Y	Evaporative/Refueling Family	--
------------	--------------	------------------------------	----

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	10.2569742
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	5.65
Drive Trace Energy Economy Rating	1.118
Drive Trace Inertia Work Ratio Rating	6.982
Integrated DC KW-HRS	1.8865338
Manufacturer Fuel Economy	18.3926933

Charge Depleting Bag/Phase #3

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.4446487
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	1.35
Drive Trace Energy Economy Rating	1.07
Drive Trace Inertia Work Ratio Rating	2.654
Integrated DC KW-HRS	1.2147725
Manufacturer Fuel Economy	16.3173912

Charge Depleting Bag/Phase #4

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	258.7370911
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	0
Drive Trace Energy Economy Rating	0
Drive Trace Inertia Work Ratio Rating	0
Integrated DC KW-HRS	60.6878594
Manufacturer Fuel Economy	23.4554154

Charge Depleting Bag/Phase #5

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.4415498
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	1.59
Drive Trace Energy Economy Rating	0.784
Drive Trace Inertia Work Ratio Rating	2.718
Integrated DC KW-HRS	1.1801205
Manufacturer Fuel Economy	15.8585311

Charge Depleting Bag/Phase #6

Certification Summary Information Report

Test Group	TTSLV00.0L2Y	Evaporative/Refueling Family	--																
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>10.2631865</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>7.4</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>1.143</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>8.977</td></tr><tr><td>Integrated DC KW-HRS</td><td>1.8459147</td></tr><tr><td>Manufacturer Fuel Economy</td><td>17.9857852</td></tr></table>		Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.2631865	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	7.4	Drive Trace Energy Economy Rating	1.143	Drive Trace Inertia Work Ratio Rating	8.977	Integrated DC KW-HRS	1.8459147	Manufacturer Fuel Economy	17.9857852		
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	10.2631865																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	7.4																		
Drive Trace Energy Economy Rating	1.143																		
Drive Trace Inertia Work Ratio Rating	8.977																		
Integrated DC KW-HRS	1.8459147																		
Manufacturer Fuel Economy	17.9857852																		
Charge Depleting Bag/Phase #7																			
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>7.4427824</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>2.62</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>1.89</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>3.705</td></tr><tr><td>Integrated DC KW-HRS</td><td>1.1904629</td></tr><tr><td>Manufacturer Fuel Economy</td><td>15.9948636</td></tr></table>		Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.4427824	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	2.62	Drive Trace Energy Economy Rating	1.89	Drive Trace Inertia Work Ratio Rating	3.705	Integrated DC KW-HRS	1.1904629	Manufacturer Fuel Economy	15.9948636		
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	7.4427824																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	2.62																		
Drive Trace Energy Economy Rating	1.89																		
Drive Trace Inertia Work Ratio Rating	3.705																		
Integrated DC KW-HRS	1.1904629																		
Manufacturer Fuel Economy	15.9948636																		
Charge Depleting Bag/Phase #8																			
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>42.8839226</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>0</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>0</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>0</td></tr><tr><td>Integrated DC KW-HRS</td><td>9.814124</td></tr><tr><td>Manufacturer Fuel Economy</td><td>22.8853226</td></tr></table>		Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	42.8839226	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0	Drive Trace Energy Economy Rating	0	Drive Trace Inertia Work Ratio Rating	0	Integrated DC KW-HRS	9.814124	Manufacturer Fuel Economy	22.8853226		
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	42.8839226																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	0																		
Drive Trace Energy Economy Rating	0																		
Drive Trace Inertia Work Ratio Rating	0																		
Integrated DC KW-HRS	9.814124																		
Manufacturer Fuel Economy	22.8853226																		
Manufacturer Test Comments		NVFEL Laboratory Test Data - Vehicle Emission Test Results Test Record #: D329_202501300629_00356 DT-ASCR, DT-EER, DT-IWRR: No data for CSC Phase 4 & 8. System rounding error due to limited 7 decimal places. Charge Depleting Range (Calculated and Actual miles) & Equivalent All Electric Range (miles): 491.939																	

Certification Summary Information Report

[illegible]

Certification Summary Information Report

Test Group		TTSLV00.0L2Y			Evaporative/Refueling Family			--	
Consolidated List of Standards									
Exhaust Standards									
Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDV/Passenger Car			Standard Level			Federal Tier 3 Bin 0	
Fuel		Electricity			Test Procedure			Charge Depleting UDDS	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0	0
150,000 miles	CO-COMP	--	--	--	--	--	--	0	0
150,000 miles	CREE	--	--	--	--	--	--	0	0
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	--	0	0
Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDV/Passenger Car			Standard Level			Federal Tier 3 Bin 0	
Fuel		Electricity			Test Procedure			Multi-Cycle Test (MCT)	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0	0
150,000 miles	CO-COMP	--	--	--	--	--	--	0	0
150,000 miles	CREE	--	--	--	--	--	--	0	0
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	--	0	0
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDV/Passenger Car			Standard Level			California ZEV	
Fuel		Electricity			Test Procedure			Multi-Cycle Test (MCT)	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0	0
150,000 miles	CO-COMP	--	--	--	--	--	--	0	0
150,000 miles	CREE	--	--	--	--	--	--	0	0
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	--	0	0

Certification Summary Information Report

Test Group		TTSLV00.0L2Y			Evaporative/Refueling Family			--	
Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDV/Passenger Car			Standard Level			Federal Tier 3 Bin 0	
Fuel		Electricity			Test Procedure			Charge Depleting Highway	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0	0
150,000 miles	CO-COMP	--	--	--	--	--	--	0	0
150,000 miles	CREE	--	--	--	--	--	--	0	0
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	--	0	0
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDV/Passenger Car			Standard Level			California ZEV	
Fuel		Electricity			Test Procedure			Charge Depleting UDDS	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0	0
150,000 miles	CO-COMP	--	--	--	--	--	--	0	0
150,000 miles	CREE	--	--	--	--	--	--	0	0
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	--	0	0
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDV/Passenger Car			Standard Level			California ZEV	
Fuel		Electricity			Test Procedure			Charge Depleting Highway	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0	0
150,000 miles	CO-COMP	--	--	--	--	--	--	0	0
150,000 miles	CREE	--	--	--	--	--	--	0	0
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	--	0	0

Certification Summary Information Report

Test Group		TTSLV00.0L2Y			Evaporative/Refueling Family			--	
Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDV/Passenger Car			Standard Level			Federal Tier 3 Bin 0	
Fuel		Electricity			Test Procedure			CVS 75 and later (w/o can. load)	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0	0
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDV/Passenger Car			Standard Level			California ZEV	
Fuel		Electricity			Test Procedure			CVS 75 and later (w/o can. load)	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0	0

Certification Summary Information Report

Test Group		TTSLV00.0L2Y	Evaporative/Refueling Family		--
Glossary					
Useful Life					
4	4,000 miles		120	120,000 miles	
50	50,000 miles		150	150,000 miles	
100	100,000 miles				
Emission Name					
HC-TOTAL	Total Hydrocarbon		AS-VOLT	Average System Voltage	
CO	Carbon Monoxide		CO2 BAG 1	Bag 1 Carbon Dioxide	
CO2	Carbon dioxide		CO2 BAG 2	Bag 2 Carbon Dioxide	
CREE	Carbon-Related Exhaust Emissions		CO2 BAG 3	Bag 3 Carbon Dioxide	
OPT-CREE	Optional Carbon-Related Exhaust Emissions		CO2 BAG 4	Bag 4 Carbon Dioxide	
NOX	Nitrogen Oxide		NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides	
PM	Particulate Matter		NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides	
PM-COMP	SFTP Composite Particulate Matter		DT-IWRR	Drive Trace Inertia Work Ratio Rating	
HC-NM	Non-methane Hydrocarbon		DT-ASCR	Drive Trace Absolute Speed Change Rating	
OMHCE	Organic material Hydrocarbon Equivalent		DT-EER	Drive Trace Energy Economy Rating	
OMNMHCE	Organic material non-methane HC equivalent		COMB-CREE	Combined Carbon-Related Exhaust Emissions	
NMOG	Non-methane organic gases		COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions	
HCHO	Formaldehyde		HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only	
H3C2HO	Acetaldehyde		METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only	
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03		N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only	
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides		LEAK-DIA	Effective Leak Diameter (inches)	
CO-COMP	SFTP Composite Carbon Monoxide		LEAK-GAS CAP	Gas Cap Leakage (cc/min)	
ETHANOL	C2H5OH - Ethanol		CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only	
FE BAG 1	Bag 1 Fuel Economy		KW-HRS	Integrated DC KW-HRS	
FE BAG 2	Bag 2 Fuel Economy		CH4 BAG 1	Bag 1 Methane	
FE BAG 3	Bag 3 Fuel Economy		CH4 BAG 2	Bag 2 Methane	
FE BAG 4	Bag 4 Fuel Economy		CH4 BAG 3	Bag 3 Methane	
MFR FE	Manufacturer Fuel Economy		CH4 BAG 4	Bag 4 Methane	
HC	Hydrocarbon for Running Loss and ORVR		CO BAG 1	Bag 1 Carbon Monoxide	
METHANE	CH4 - Methane		CO BAG 2	Bag 2 Carbon Monoxide	
METHANOL	CH3OH - Methanol		CO BAG 3	Bag 3 Carbon Monoxide	
N2O	Nitrous Oxide		CO BAG 4	Bag 4 Carbon Monoxide	
SPITBACK	Spitback Hydrocarbon in grams		NMOG BAG 1	Bag 1 Non-methane organic gases	
AMP-HRS	Integrated Amp-hours		NMOG BAG 2	Bag 2 Non-methane organic gases	
START-SOC	System Start State of Charge Watt-hours		NMOG BAG 3	Bag 3 Non-methane organic gases	
END-SOC	System End State of Charge Watt-hours		NMOG BAG 4	Bag 4 Non-methane organic gases	
ACT-DISTANCE	Actual Distance Driven (miles)				
Certification Region					

Certification Summary Information Report

Test Group		TTSLV00.0L2Y	Evaporative/Refueling Family		--
CA	California + CAA Section 177 states		FA	Federal	
Exhaust Emission Standard Level					
B1	Federal Tier 2 Bin 1		T3B160	Federal Tier 3 Bin 160	
B2	Federal Tier 2 Bin 2		T3B125	Federal Tier 3 Bin 125	
B3	Federal Tier 2 Bin 3		T3B110	Federal Tier 3 Transitional Bin 110	
B4	Federal Tier 2 Bin 4		T3B85	Federal Tier 3 Transitional Bin 85	
B5	Federal Tier 2 Bin 5		T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover	
B6	Federal Tier 2 Bin 6		T3B70	Federal Tier 3 Bin 70	
B7	Federal Tier 2 Bin 7		T3B50	Federal Tier 3 Bin 50	
B8	Federal Tier 2 Bin 8		T3B30	Federal Tier 3 Bin 30	
B9	Federal Tier 2 Bin 9		T3B20	Federal Tier 3 Bin 20	
B10	Federal Tier 2 Bin 10		T3B0	Federal Tier 3 Bin 0	
B11	Federal Tier 2 Bin 11		HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395	
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)		HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340	
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)		HDV2B250	Federal Tier 3 HD Class 2b Bin 250	
L2	California LEV-II LEV		HDV2B200	Federal Tier 3 HD Class 2b Bin 200	
L2OP	California LEV-II LEV Optional		HDV2B170	Federal Tier 3 HD Class 2b Bin 170	
U2	California LEV-II ULEV		HDV2B150	Federal Tier 3 HD Class 2b Bin 150	
S2	California LEV-II SULEV		HDV2B0	Federal Tier 3 HD Class 2b Bin 0	
ZEV	California ZEV		HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630	
OT	Other		HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570	
T1	Federal Tier 1		HDV3B400	Federal Tier 3 HD Class 3 Bin 400	
PZEV	California PZEV		HDV3B270	Federal Tier 3 HD Class 3 Bin 270	
L2LEV160	California LEV-II LEV160		HDV3B230	Federal Tier 3 HD Class 3 Bin 230	
L2ULEV125	California LEV-II ULEV125		HDV3B200	Federal Tier 3 HD Class 3 Bin 200	
L2SULEV30	California LEV-II SULEV30		HDV3B0	Federal Tier 3 HD Class 3 Bin 0	
L2LEV395	California LEV-II LEV395		L4SULEV100	California LEV-IV SULEV100	
L2ULEV340	California LEV-II ULEV340		L4SULEV125	California LEV-IV SULEV125	
L2LEV630	California LEV-II LEV630		L4SULEV15	California LEV-IV SULEV15	
L2ULEV570	California LEV-II ULEV570		L4SULEV150	California LEV-IV SULEV150	
L3LEV160	California LEV-III LEV160		L4SULEV170	California LEV-IV SULEV170	
L3ULEV125	California LEV-III ULEV125		L4SULEV175	California LEV-IV SULEV175	
L3ULEV70	California LEV-III ULEV70		L4SULEV20	California LEV-IV SULEV20	
L3ULEV50	California LEV-III ULEV50		L4SULEV200	California LEV-IV SULEV200	
L3SULEV30	California LEV-III SULEV30		L4SULEV230	California LEV-IV SULEV230	
L3SULEV20	California LEV-III SULEV20		L4SULEV25	California LEV-IV SULEV25	
L3LEV395	California LEV-III LEV395		L4SULEV30	California LEV-IV SULEV30	
L3ULEV340	California LEV-III ULEV340		L4SULEV75	California LEV-IV SULEV75	
L3ULEV250	California LEV-III ULEV250		L4SULEV85	California LEV-IV SULEV85	
L3ULEV200	California LEV-III ULEV200		L4ULEV125	California LEV-IV ULEV125	

Certification Summary Information Report

Test Group		TTSLV00.0L2Y	Evaporative/Refueling Family		--
L3SULEV170	California LEV-III SULEV170		L4ULEV200	California LEV-IV ULEV200	
L3SULEV150	California LEV-III SULEV150		L4ULEV250	California LEV-IV ULEV250	
L3LEV630	California LEV-III LEV630		L4ULEV270	California LEV-IV ULEV270	
L3ULEV570	California LEV-III ULEV570		L4ULEV40	California LEV-IV ULEV40	
L3ULEV400	California LEV-III ULEV400		L4ULEV400	California LEV-IV ULEV400	
L3ULEV270	California LEV-III ULEV270		L4ULEV50	California LEV-IV ULEV50	
L3SULEV230	California LEV-III SULEV230		L4ULEV60	California LEV-IV ULEV60	
L3SULEV200	California LEV-III SULEV200		L4ULEV70	California LEV-IV ULEV70	
Transmission Type Code					
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)	M	Manual		
A	Automatic	OT	Other		
AM	Automated Manual	SA	Semi-Automatic		
CVT	Continuously Variable	SCV	Selectable Continuously Variable (e.g. CVT with paddles)		
Drive System Code					
4	4-Wheel Drive	P	Part-time 4-Wheel Drive		
F	2-Wheel Drive, Front	A	All Wheel Drive		
R	2-Wheel Drive, Rear				
Additional Terms and Acronyms					
AFC	Alternative Fuel Converter	ICI	Independent Commercial Importer		
CSI	Certificate Summary Information	ORVR	Onboard Refueling Vapor Recovery		
DF	Deterioration Factor	SIL	Shift Indicator Light		
Evap	Evaporation, Evaporative	Trans	Transmission		